

Specification Sheet

Part Number: 151-00629



Standoff Bundling Clip, 2.2" Long, Panel Thickness 0.03"–0.22", PA66HIRHS, Black, 3000/box

Article Number	151-00629
Type	SOC7FT6
Color	Black (BK)
Features & Benefits	<ul style="list-style-type: none">• Staggered fir tree branch design provides low insertion forces and high extraction forces.• Initial fir tree serves as a locating feature for assistance in blind assembly applications.
Quantity Per	box
Product Description	Stand Off Tape Clips provide unique mounting solutions for applications requiring two bundles to be separated from both mounting hoes and each other. Anti-sliding bars on the ends of the tape bar assist in preventing the tape from sliding off the clip in a high movement/vibration applications.
Short Description	Standoff Bundling Clip, 2.2" Long, Panel Thickness 0.03"–0.22", PA66HIRHS, Black, 3000/box

Global Part Name

SOC7FT6-PA66HIRHSUV-BK

Length L (Imperial)

2.2

Length L (Metric)

56.0

Offset Length(Imperial)

1.22

Offset Length(Metric)

31.0

Fixation Method

Fir Tree

Height H (Imperial)

0.9

Height H (Metric)

22.5

Panel Thickness Min(Imperial)

0.03

Panel Thickness Max(Imperial)

0.22

Panel Thickness Min (Metric)

0.76

Panel Thickness Max (Metric)

5.59

Mounting Hole Diameter D (Imperial)

0.25 - 0.27

Mounting Hole Diameter D (Metric)

6.25 - 6.75 mm

Mounting Hole Diameter D Min (Imperial)

0.25

Mounting Hole Diameter D Max (Imperial)

0.27

Mounting Hole Diameter D Max (Metric)

6.75

Material	Polyamide 6.6 high impact modified, heat and UV-resistant (PA66HIRHSUV)
Material Shortcut	PA66HIRHSUV
Flammability	UL 94 HB
Operating Temperature (Metric)	-40°F to +230°F (-40°C to +110°C)
Reach Complaint(Article 33)	Yes
ROHS Complaint	Yes
Package Quantity(Imperial)	3000
Package Quantity (Metric)	3000
Customs Number	3926909987
Content Unit(BMEcat)	pcs.
Weight (Metric)	0.00154
Weight (Imperial)	0.00340

