


## Relay base - SIM-AMS 1 - 2271015

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Plug-in base, for standard I/O modules, with different numbers of contacts, can be labeled with marker pins BN or BNB



### Key Commercial Data

Packing unit	10 STK
GTIN	 4 017918 103484
GTIN	4017918103484

### Technical data

#### Dimensions

Pin dimensions	1,1 x 0,5 mm
Hole diameter	1.4 mm

#### General

Nominal voltage $U_N$	250 V AC
	380 V AC
Nominal current $I_N$	5 A
Number of contacts, type	1
Color	green
Insulating material	PA
Standards/regulations	DIN VDE 0110b, Gr. C for 250 V DC

#### Standards and Regulations

Connection in acc. with standard	CSA
Standards/regulations	DIN VDE 0110b, Gr. C for 250 V DC

#### Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50

# Relay base - SIM-AMS 1 - 2271015


## Technical data

### Environmental Product Compliance


	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"
--	---

## Drawings

Dimensional drawing



Schematic diagram



## Approvals

### Approvals

#### Approvals

CSA / UL Recognized / EAC

#### Ex Approvals

### Approval details

CSA		<a href="http://www.csagroup.org/services-industries/product-listing/">http://www.csagroup.org/services-industries/product-listing/</a>	13631
Nominal voltage UN		300 V	
Nominal current IN		5 A	

UL Recognized		<a href="http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm">http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm</a>	FILE E 113228
Nominal voltage UN		300 V	

## Relay base - SIM-AMS 1 - 2271015

### Approvals

Nominal current I <sub>N</sub>	5 A
--------------------------------	-----

EAC		RU C- DE.A*30.B.01082
-----	---	--------------------------

Phoenix Contact 2018 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>