

NOTES:


- ① MAT'L: COPPER (STOCK TKN. $\frac{.031}{.79}$)
- ② PLATING: ELECTRO TIN (.0003 MIN)
- ③ TIN-PLATED BRASS FUNNEL FERRULE
- ④ NYLON INSULATION (COLOR CODED BLUE) $\frac{.081}{206}$ MIN.

STUD SIZES: ($\pm .005$)

- 02 = .094
- 04 = .119
- 06 = .146
- 08 = .173
- 10 = .198
- 14 = .265
- 56 = .328
- 38 = .390

"UL" LISTING # E32244
 "CSA" LISTING # 18689

WIRE SIZE: 16 - 14 AWG²
 10 - 2.5 MM²



ALL DIMENSIONS = INCHES (MM) (MWID) = DENOTES MAXIMUM WIRE INSULATION DIAMETER

| PART NUMBER | "W" ±.010 | "C" MIN. | "L" MAX. | "D" ±.005 | AVAILABLE STUD SIZES | DIMENSIONAL TOLERANCES UNLESS OTHERWISE SPECIFIED | | REFERENCE | SCALE: NTS | DATE | TITLE: | DWG. NO. | CUSTOMER DWG |
|-------------|--------------|--------------|---------------|--------------|-------------------------------------|---|--------|-----------|------------|----------|--|----------|--------------|
| | | | | | | DEC. ± | ANG. ± | | | | | | |
| BB-8707 | .250 6.35 | .230 5.84 | .825 20.96 | 1.05 2.67 | 05 ($\frac{.127 \pm .005}{3.23}$) | | | | | 11-9-84 | SNAP SPADE SHORT TONGUE TERMINAL AVIKRIMP 800-SERIES | A | |
| BB-8707- | .250 6.35 | .230 5.84 | .825 20.96 | 1.14 2.90 | 06 | | | | | 11-29-84 | | | |



CUSTOMER DWG