





PRODUCT NUMBER SEE SHEET 2



spec ref	dr	Peng-Bing Fu	2013/01/10	projection	MM	size	A3	scale	3:2
tolerance std	eng	Vicking Liu	2015/10/29			ecn no	ELX-DG-22326-1	rel level	Released
ASME Y14.5	chr	Fancy Zhang	2015/11/02						
TOLERANCES UNLESS OTHERWISE SPECIFIED		appr	Pei-Ming Zheng	2015/11/02	dwg no		10106263-C006001		rev
surface	linear	0.X	±0.50		cat. no.		Product - Customer Drw		sheet 1 of 3
		0.XX	±0.25		12P+24S				
		0.XXX	±0.10		RA PF HEADER				C
ASME Y14.5	angular	0°	±2°	www.fci.com	Product - Customer Drw		STATUS:Released		Printed: Nov 05, 2015






Copyright FCI.

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION: 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENSIONS ARE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ±0.07MM HOLE.
- 8) PRODUCT SPECIFICATION: GS-12-658.
APPLICATION SPECIFICATION: GS-20-141.
PRODUCT PACKAGED IN TRAYS: GS-14-1502.



Copyright FCI.

dr	Peng-Bing Fu	2013/01/10	projection 	MM 	size	A3	scale	3:2	
eng	Vicking Liu	2015/10/29			ecn no	ELX-DG-22326-1			
chr	Fancy Zhang	2015/11/02			product family	PwrBlade+	rel level	Released	
appr	Pei-Ming Zheng	2015/11/02							
		title 12P+24S RA PF HEADER			dwg no 10106263-C006001		rev C		
www.fci.com		cat. no.		Product - Customer Drw			sheet 3 of 3		