

2018




Professional HEX Tools

Inch & Metric





















Complete Hex Program











Wiha Hex Tools

	DESCRIPTION	Page
	T-handles	11
	PocketStar Fold Outs	13
	L-keys - Long/Short Nickel & Black Finish	14-15
	Insulated T-handle	16
	Insulated Hex Drivers	16
	Insulated L-keys	17
	Insulated Sockets	17
	Drive-Loc VI Blades	18
	ESD Safe Precision	23
	Precision	21
	PicoFinish	22
	SYSTEM 4 Blades	24
	SYSTEM 4 Micro Bits	25
	Insert/Power Bit Sets	26
	XSelectors	27
	Bit Insert & Power Bits	28-29
	Sockets	31-32















Wiha Security Hex Tools

	DESCRIPTION	Page
	SYSTEM 4 Micro Bits	25-26
	Insert Bits	28
	Sockets	32









90mm Security Hex Power Blades & Handle

	DESCRIPTION	Page
	Power Blades 90mm Security Hex Inch/Metric	18







Wiha Ball End Hex Tools

	DESCRIPTION	Page
	Ball End L-keys & Sets Chrome Finish	5
	Colored Coded L-keys Chrome Finish	6
	Ball End L-keys & Sets Long, Mid-Length & Short Black Finish	7
	Stainless Steel L-keys & Sets	6
	Soft Grip T-handles Chrome & Black Finish	10-11
	3K Series Screwdrivers	13
	Drive-Loc VI Blades	18
	Precision	21
	PicoFinish Soft Grip	22
	SYSTEM 4 Blades	24
	Stubby Bit Holder Sets	26
	Ball End Hex Insert Bit	29
	Ball End Hex Socket	32






MagicRing Screw Holding Hex Tools

	DESCRIPTION	Page
	L-keys Screw Holding	4
	T-handles Screw Holding	9
	SoftFinish Screw Holding Cushion Grip	12
	PocketStars Screw Holding	9
	Insert Bits Screw Holding	27
	Power Bits Screw Holding	27
	Bit-Selectors Screw Holding Insert & Power Bits	27






Wiha Drive-Loc VI

DESCRIPTION	Page
 Drive-Loc VI Handle SoftFinish® Cushion Grip	18
 Drive-Loc VI Handle ESD Safe Cushion Grip	18
 Drive-Loc VI Handle MicroFinish Non-Slip Grip	18
 Drive-Loc VI Blades	18
 Ball End Hex & Hex Inch/Metric	
 Drive-Loc VI Blade Set	18


Wiha Power & Insert Hex Bits

DESCRIPTION	Page
 MagicRing Hex Inch & Metric Insert/Power Bits	27
 Hex Inch & Metric Insert/Power Bits	28
 Security Bits Inch & Metric Insert/Power Bits	28
 Ball End Hex Inch & Metric	29
 Stainless Steel Metric	29







Wiha TorqueControl Tools

DESCRIPTION	Page
 Insulated TorqueControl	20
 TorqueVario Handle	19
 Hex Inch/Metric Blades	19
 T-handle Torque Tools	20
 Hex Inch/Metric Blades	20







Terminator Impact Insert & Power Hex Bits

DESCRIPTION	Page
 Terminator Impact Bits	30

Wiha Bit Sets

DESCRIPTION	Page
 Micro Bit Sets	24,26
 Stubby Bit Holder Sets	26
 XSelectors	26
 Bit Selector Sets	26-27
 Power Bit Belt Packs	27
 PokitPaks	27

Wiha Hex Sockets & Sets

DESCRIPTION	Page
 Insulated Sockets	17
 Hex Bit Sockets 1/4" Drive	31-32
 Hex Bit Sockets 3/8" Drive	31-32
 Ball End Sockets	32
 6" Bit Sockets 1/4" & 3/8" Drive	31
 Socket Sets	32



MagicRing Screw Holding Ball End Hex L-Keys




Ball End Hex Keys
Wiha exclusive Chrome-V-Moly super tool steel, hardened, hard chromed, screw holding

Ball End Hex Keys
Chamfered ends for easy insertion

ErgoStar Holder
Every key can be taken out separately without having to move another key

U.S. Patent 6,302,001 B1

Screw Holding Hex Tools!



669 MagicRing Ball End Metric Hex L-key

Long blade Chrome-V-Moly, hardened, hard chrome finish.

Item No.	Hex	Length	Blade	Weight	Pkg.
No Ring	mm	mm	mm	lbs.	pkg.
66904*	1.5	90	14	.01	10
66908*	2.0	99	16	.01	10
66912*	2.5	111	18	.01	10
MagicRing					
66916	3.0	125	20	.02	10
66920	4.0	138	25	.04	10
66924	5.0	158	28	.07	10
66928	6.0	178	32	.12	10
66936	8.0	198	36	.23	10
66944	10.0	221	40	.40	10

* Standard Ball - No Ring




Hard Chrome Finish

66990 9 Pc. MagicRing Long Metric Ball End Hex L-key Set, In ErgoStar Holder

Blade Chrome-V-Moly, hardened, hard chrome finish.

Item No.	Hex	Length	Blade	Weight
No.	mm	mm	mm	lbs.
66990	1.5*	90	5.0	158
	2.0*	99	6.0	178
	2.5*	111	8.0	197
	3.0	125	10.0	221
	4.0	138		

* Standard Ball - No Ring



669 MagicRing Ball End Inch Hex L-key,

Long blade Chrome-V-Moly, hardened, hard chrome finish.

Item No.	Hex	Length	Blade	Weight	Pkg.
No Ring	Inch	Inch	Inch	lbs.	pkg.
66945*	.050	2.8	.5	.01	10
66946*	1/16	3.1	.6	.01	10
66947*	5/64	3.5	.7	.01	10
66950*	3/32	3.9	.7	.01	10
66952*	7/64	4.3	.7	.02	10
MagicRing					
66953	1/8	4.6	.8	.02	10
66955	9/64	5.2	.9	.03	10
66956	5/32	5.7	1.0	.04	10
66959	3/16	6.2	1.1	.06	10
66962	7/32	6.7	1.2	.09	10
66965	1/4	7.3	1.2	.13	10
66968	5/16	8.0	1.4	.22	10
66971	3/8	8.8	1.6	.36	10

* Standard Ball - No Ring



66991 13 Pc. MagicRing Long Inch Ball End Hex L-key Set, In ErgoStar Holder

Chrome-V-Moly, hardened, hard chrome finish.

Item No.	Hex	Length	Blade	Weight
No.	Inch	Inch	Inch	lbs.
66991	.050*	2.8	5/32	5.7
	1/16*	3.1	3/16	6.2
	5/64*	3.5	7/32	6.7
	3/32*	3.9	1/4	7.3
	7/64*	4.3	5/16	8.0
	1/8	4.6	3/8	8.8
	9/64	5.2		

* Standard Ball - No Ring




66992 22 Pc. Combination MagicRing L-key Set, In ErgoStar Holder

Item No.	Set includes	Weight
66992	66990 Set - 1.5*, 2.0*, 2.5*, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	1.07
	66991 Set - .050*, 1/16*, 5/64*, 3/32*, 7/64*, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	2.21

* Standard Ball - No Ring

ErgoStar Ball End Hex Keys Chrome Finish

Fast Auto Open Key Holder



66996 9 Piece ErgoStar Metric Ball End Hex Long L-key Set lbs. 1.02

Item No. Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

Fast Auto Open Key Holder



66988 13 Piece ErgoStar Inch Ball End Hex Long L-key Set lbs. 2.5


Item No. Inch: .050, 1/16, 5/64, 3/32, 7/64, 66988 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Fast Auto Open Key Holder



66982 22 Pc. ErgoStar Inch/Metric Ball End Hex Long L-key Set

Item No. Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 66982 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8" lbs. Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 2.1 6.0, 8.0, 10.0mm




ErgoStar Inch Ball End L-key Set

- Patented ErgoStar auto open key holder
- Keys of chrome-vanadium-molybdenum steel
- 60HRC through hardened durability
- Hard chrome finish for best wear resistance

Metric & Inch Ball End Hex Keys Chrome Finish

Extra Long Hard Chromed




For angle entry



669 669 Ball End Metric Hex L-key, Long Arm Chrome-V-Moly, hardened, hard chrome finish.

Item No.	mm	mm	mm	lbs.	pkg.
66904	1.5	90	14	.004	10
66908	2.0	99	16	.007	10
66912	2.5	111	18	.012	10
66918	3.0	125	20	.019	10
66922	4.0	138	25	.042	10
66926	5.0	158	28	.072	10
66930	6.0	178	32	.12	10
66937	8.0	198	36	.23	10
66938	10.0	221	40	.40	10

Extra Long Hard Chromed



For angle entry



369 369 Ball End Inch Hex L-key, Long Arm Chrome-V-Moly, hardened, hard chrome finish.

Item No.	Inch	Inch	Inch	lbs.	pkg.
36949	1/8	4.6	.8	.021	10
36951	9/64	5.2	.9	.029	10
36954	5/32	5.7	1.0	.035	10
36957	3/16	6.2	1.1	.059	10
36958	7/32	6.7	1.2	.092	10
36960	1/4	7.3	1.2	.13	10
36961	5/16	8.0	1.4	.22	10
36963	3/8	8.8	1.6	.36	10




66994 9 Pc. Metric Ball End Hex Long L-key Set lbs. .98

Item No. Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 66994 5.0, 6.0, 8.0, 10.0mm



36998 13 Piece Inch Ball End Hex Long L-key Set, In Plastic Holder Blade Chrome-V-Moly, hardened, hard chrome finish.

Item No. Inch: .050, 1/16, 5/64, 3/32, 7/64, 36998 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, lbs. 1.0 5/16, 3/8"



66995 6 Pc. Metric Ball End Hex Long L-key Set lbs. .21

Item No. Metric: 1.5, 2.0, 2.5, 66995 3.0, 4.0, 5.0mm



66993 2 Pack Inch & Metric Ball End Hex L-key Sets High alloy Chrome-V-Moly, hardened, hard chrome finish.

Item No. 2 Sets with 22 L-keys include: 66993 Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm lbs. 2.0 Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"



66998 11 Pc. Metric Ball End Hex Long L-key Set lbs. 1.36

Item No. Metric: 1.5, 2.0, 2.5, 66998 3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 9.0, 10.0mm



Inch & Metric Ball End Hex Keys Color Coded


Wiha standard extra long for extended reach

Corrosion resistant nickel chrome base finish

Wiha exclusive Chrome-V-Moly super tool steel, through hardened

25° Working Angles

Color coding for immediate identification of L-keys




569 Ball End Inch Hex Long Arm L-key, Set With Color Coded Keys Blade Chrome-V-Moly, hardened.

Item No.	Color Key	Inch
56901	Brown	.050
56902	Green	1/16
56903	Chrome	5/64
56904	Blue	3/32
56905	Purple	7/64
56906	Red	1/8
56907	Copper	9/64
56908	Gold	5/32
56909	Blue	3/16
56910	Black	7/32
56911	Chrome	1/4
56912	Green	5/16
56913	Brown	3/8



569 Ball End Metric Hex Long Arm L-key, Set With Color Coded Keys Blade Chrome-V-Moly, hardened.

Item No.	Color Key	mm	mm	mm	lbs.
56914	brown	1.5	91	15	.005
56915	green	2.0	101	18	.009
56916	chrome	2.5	113	20	.017
56917	blue	3.0	128	23	.019
56918	purple	4.0	142	29	.04
56919	red	5.0	163	33	.06
56920	Copper	6.0	184	38	.10
56921	gold	8.0	206	44	.20
56922	grey	10.0	231	50	.38



36986 13 Pc. Inch Ball End Hex Long L-key Set With Color Coded Keys Chrome-V-Moly, hardened. 8 lbs. .90

Item No.	Inch:
36986	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"




36987 9 Piece Metric Ball End Hex Long L-key Set With Color Coded Keys Chrome-V-Moly, hardened. 8 lbs. .96

Item No.	Metric:
36987	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

Protturn Stainless Steel Ball End Hex L-Keys

Protturn Stainless Steel Made For Wiha



369 Stainless Steel Ball End Metric Hex L-key, Long Arm Hardened, hard chrome finish.


Item No.	mm	mm	mm	lbs.	pkg.
36911	1.5	91	14	.004	1
36913	2.0	101	18	.007	1
36914	2.5	113	20	.012	1
36915	3.0	128	23	.020	1
36917	4.0	142	29	.01	1
36918	5.0	163	33	.01	1
36919	6.0	184	38	.13	1
36921	8.0	206	44	.25	1
36922	10.0	231	50	.44	1



36988 9 Pc. Metric Ball End Hex Long L-key Set Stainless Steel 8 lbs. 88

Item No.	Metric:
36988	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

Stainless steel cannot be hardened to the same extent as high carbon tool steels. It will provide better protection against corrosion on fasteners and tools when used with stainless steel fasteners. Being softer, stainless steel will twist more & corners will round easier than other tool steels.



369 Stainless Steel Ball End Inch Hex L-key, Long Arm Hardened, hard chrome finish.


Item No.	Inch	mm	mm	lbs.	pkg.
36972	1/16	90	15	.01	1
36973	5/64	102	18	.01	1
36974	3/32	113	20	.01	1
36975	7/64	121	21	.01	1
36976	1/8	127	23	.02	1
36977	9/64	139	25	.04	1
36978	5/32	144	28	.04	1
36979	3/16	165	32	.06	1
36980	7/32	176	35	.10	1
36981	1/4	185	38	.14	1
36982	5/16	208	43	.22	1
36983	3/8	233	50	.36	1



36985 12 Pc. Inch Ball End Hex Long L-key Set Stainless Steel

Item No.	Inch:
36985	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"


Ball End Inch & Metric Hex L-Keys Black Finish



Ball End Hex Keys
Chamfered ends for easy insertion

Ball End Hex L-keys
Working angle up to 25°

See Short Arm L-keys on Page 8, 14-15

For angle entry



For angle entry

369 Ball End Hex Metric L-key, Long Arm
Blade Chrome-V-Moly, hardened, black finish.

Item No.	mm	mm	mm	lbs.	pkg.
36904	1.5	90	14	.004	10
36908	2.0	99	16	.007	10
36912	2.5	111	18	.012	10
36916	3.0	125	20	.019	10
36920	4.0	138	25	.042	10
36924	5.0	158	28	.072	10
36928	6.0	178	32	.12	10
36936	8.0	198	36	.23	10
36944	10.0	221	40	.40	10

369 Ball End Hex Inch L-key, Long Arm
Blade Chrome-V-Moly, hardened, black finish.

Item No.	Inch	Inch	Inch	lbs.	pkg.
36945	.050	2.8	.5	.002	10
36946	1/16	3.1	.6	.004	10
36947	5/64	3.5	.7	.007	10
36950	3/32	3.9	.7	.010	10
36952	7/64	4.3	.7	.016	10
36953	1/8	4.6	.8	.021	10
36955	9/64	5.2	.9	.029	10
36956	5/32	5.7	1.0	.035	10
36959	3/16	6.2	1.1	.059	10
36962	7/32	6.7	1.2	.092	10
36965	1/4	7.3	1.2	.13	10
36968	5/16	8.0	1.4	.22	10
36971	3/8	8.8	1.6	.36	10

36995 2 Pack Inch & Metric Ball End Hex L-key Sets High alloy Chrome-V-Moly, hardened, black finish.

Item No. 2 Sets with 22 L-keys include:

36995 Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

lbs. Inch: .050, 1/16, 5/64, 3/32, 7/64, 2.21 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"



36990 9 Pc. Metric Ball End Hex Long L-key Set Chrome-V-Moly, hardened, black finish.

Item No.	mm	mm	mm	mm	lbs.
36990	1.5	90	5.0	158	.98
	2.0	99	6.0	178	
	2.5	111	8.0	198	
	3.0	125	10.0	221	
	4.0	138			



36991 13 Pc. Inch Ball End Hex Long L-key Set Chrome-V-Moly, hardened, black finish.

Item No. 13 pc. set includes:

36991 .050, 1/16, 5/64, 3/32, 7/64, 1.0 1/8, 9/64, 5/32, 3/16, 7/32, 1.0 1/4, 5/16, 3/8"




36696 3 Pack Inch & Metric Mid-Length Ball End Hex & TORX L-key Sets Blade Chrome-V-Moly, hardened, black finish.

Item No. 3 Sets Hex & TORX L-keys include:

36696 Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

lbs. Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 2.58 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8" TORX: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30



36992 6 Pc. Metric Ball End Long Hex L-key Set Chrome-V-Moly, hardened, black finish.

Item No.	mm	mm	mm	mm	lbs.
36992	1.5	90	3.0	125	.30
	2.0	99	4.0	138	
	2.5	111	5.0	158	



36993 8 Pc. Inch Ball End Hex Long L-key Set Chrome-V-Moly, hardened, black finish.

Item No. 8 pc. set includes: .62 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16"




Mid-Length Ball End Hex Keys Black Finish



Ball End Hex Keys
Chamfered ends for easy insertion

Ball End Hex L-keys
Working angle up to 25°



Inch & Metric



369 Ball End Hex Inch Mid-Length

L-keys Chrome-V-Moly, hardened, black finish.

Item No.	Inch	Inch	Inch	lbs.	pkg.
36901	.050	2.82	.45	.002	1
36902	1/16	3.05	.53	.004	1
36903	5/64	3.27	.63	.007	1
36905	3/32	3.43	.68	.010	1
36906	7/64	3.62	.76	.016	1
36907	1/8	3.84	.76	.021	1
36909	9/64	4.08	.87	.029	1
36910	5/32	4.36	.96	.035	1
36923	3/16	4.67	1.08	.059	1
36925	7/32	5.05	1.18	.092	1
36926	1/4	5.73	1.25	.13	1
36927	5/16	6.75	1.36	.22	1
36929	3/8	7.0	1.50	.36	1

Item No.	Inch	Inch	Inch	lbs.	pkg.
46701	.050	2.82	.45	.02	10
46703	1/16	3.05	.53	.04	10
46705	5/64	3.27	.63	.07	10
46707	3/32	3.43	.68	.10	10
46709	7/64	3.62	.76	.16	10
46711	1/8	3.84	.76	.21	10
46713	9/64	4.08	.87	.29	10
46717	5/32	4.36	.96	.35	10
46719	3/16	4.67	1.08	.59	10
46721	7/32	5.05	1.18	.92	10
46723	1/4	5.73	1.25	1.3	10
46727	5/16	6.75	1.36	2.2	10
46731	3/8	7.0	1.50	3.6	10

369 Ball End Hex Metric Mid-Length

L-keys Chrome-V-Moly, hardened, black finish.

Item No.	mm	mm	mm	lbs.	pkg.
36930	1.5	79	13	.010	1
36931	2.0	84	15	.016	1
36932	2.5	90	17	.029	1
36933	3.0	100	19	.035	1
36934	4.0	113	24	.059	1
36935	5.0	123	26	.092	1
36938	6.0	144	31	.13	1
36939	8.0	159	35	.22	1
36966	10.0	181	37	.36	1

Item No.	mm	mm	mm	lbs.	pkg.
46732	1.5	79	13	.010	10
46733	2.0	84	15	.016	10
46734	2.5	90	17	.029	10
46735	3.0	100	19	.035	10
46736	4.0	113	24	.059	10
46737	5.0	123	26	.092	10
46738	6.0	144	31	.13	10
46739	8.0	159	35	.22	10
46741	10.0	181	37	.36	10

36900 2 Pack Inch & Metric Mid-Length

Ball End Hex L-key Sets Chrome-V-Moly, hardened, black finish.

Item No.	2 Sets with 22 L-keys include:
36900	Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm
1.69	Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"



36937 13 Piece Inch Mid-Length Ball

End Hex L-key Set Blade Chrome-V-Moly, hardened, black finish.

Item No.	13 pc. set includes:	lbs.	pkg.
36937	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	.88	



36999 9 Pc. Metric Mid-Length Ball End

Hex L-key Set Blade Chrome-V-Moly, hardened, black finish.

Item No.	Metric:
36999	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

Ball End Hex Keys Black Finish Short Arm




36989 9 Pc. Short Arm Metric Ball End Hex

L-key Set, In Plastic Holder Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

lbs.	.59	pkg.	1
------	-----	------	---

Wiha PocketStar Fold-Ups

MagicRing



Push button key release


Screw Holding

36997 9 Piece MagicRing Inch PocketStar Fold Outs High alloy CVM steel, hardened, molded ergonomic handle.  lbs. .46
Item No. 36997
Inch PocketStar: 5/64*, 3/32*, 7/64*
 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
 * Standard Ball - No Ring



Push button key release


Screw Holding

36996 7 Piece MagicRing Metric PocketStar Fold Outs High alloy CVM steel, hardened, molded ergonomic handle.
Item No.  lbs. .50
36996 PocketStar
Metric: 2.0*, 2.5*, 3.0, 4.0, 5.0, 6.0, 8.0mm
 * Standard Ball - No Ring



Push button key release

Screw Holding

66997 2 Pack MagicRing PocketStar Fold Outs Inch & Metric High alloy CVM steel, hardened, molded ergonomic handle.
Item No.  lbs. .98
66997 Fold Outs Inch/Metric Includes:
 36996 - 2.0*, 2.5*, 3.0, 4.0, 5.0, 6.0, 8.0mm
 36997 - 5/64*, 3/32*, 7/64*, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
 * Standard Ball - No Ring

Wiha MagicRing Screw Holding T-handle



Screw Holding Hex Tools

Hole for hanging








Proportioned ergonomic handle designed for high torque

Blade Wiha exclusive Chrome-V-Moly super tool steel, hardened, hard chrome finish








Smooth edges prevent injuries & eliminate pressure marks

Handle is molded directly onto blade

540 MagicRing Hex Metric Ball End, With Wiha T-handle Blade Chrome-V-Moly, hardened, hard chromed. Ball end for easy insertion. Wiha T-handle high quality plastic, impact resistant.

Item No.							
	mm	mm	mm	mm	lbs.	pkg.	
54040	4.0	150	80	176	.08	10	
54050	5.0	150	100	182	.14	10	
54060	6.0	150	100	182	.17	10	
54080	8.0	200	100	232	.29	10	
54086	10.0	200	120	238	.49	10	


540 MagicRing Hex Inch Ball End, With Wiha T-handle Blade Chrome-V-Moly, hardened, hard chromed. Ball end for easy insertion. Wiha T-handle high quality plastic, impact resistant.

Item No.							
	Inch	Inch	Inch	Inch	lbs.	pkg.	
54012	5/32	5.8	2.8	6.9	.08	10	
54014	3/16	5.8	4.0	7.2	.14	10	
54016	7/32	5.8	4.0	7.2	.16	10	
54018	1/4	5.8	4.0	7.2	.19	10	
54022	5/16	7.8	4.0	9.3	.29	10	
54024	3/8	7.8	4.7	9.3	.45	10	



54090 5 Piece MagicRing Ball End T-handle Set, Metric Sizes Blade Chrome-V-Moly, hardened, hard chromed. Wiha T-handle high quality plastic, impact resistant.
Item Metric:
No. 4.0, 5.0, 6.0, lbs.
54090 8.0, 10.0mm 1.37



54091 6 Piece MagicRing Ball End T-handle Set, Inch Sizes Blade Chrome-V-Moly, hardened, hard chromed. Wiha T-handle high quality plastic, impact resistant.
Item Inch: 
No. 5/32, 3/16, 7/32, lbs.
54091 1/4, 5/16, 3/8" 1.49

Wiha Soft Grip Dual Drive T-handle - Chrome Finish

Through the handle side torque drive

Two Tools In One!

Two component soft grip handle

Ball & Standard Hex In One Powerful Tool

Wiha exclusive Chrome-V-Moly super tool steel, through hardened durability, hard chrome finish

Maximum Comfort & Maximum Power

Hard Chrome Finish

For angle entry

- Chrome-V-Moly, hardened, hard chrome finish
- Ball tip for speed & easy insertion
- Wiha soft grip are molded on and include through the handle side torque drive

540 Soft Grip Ball End Hex Metric Dual Drive T-handle

Item	Hex	Ball	Tip	lbs.	pkg.
No.	mm	mm			
54020	2.0	150	Ball	.06	10
54025	2.5	150	Ball	.06	10
54030	3.0	150	Ball	.07	10
54042	4.0	150	Ball	.09	10
54052	5.0	150	Ball	.18	10
54062	6.0	150	Ball	.21	10
54082	8.0	200	Ball	.35	10
54088	10.0	200	Ball	.55	10

54095 8 Pc. Ball End Hex Metric Soft Grip T-handle Set- No stand

Item	Metric:	lbs.
No.	2.0, 2.5, 3.0, 4.0,	
54095	5.0, 8.0, 10.0mm	1.90

In metal stand

54092 8 Piece Ball End Hex Metric Soft Grip T-handle Set

Blade Chrome-V-Moly, hardened, chrome finish. Wiha soft grips are molded on with through the handle side torque drive.

Item	Metric:	lbs.
No.	2.0, 2.5, 3.0, 4.0,	
54092	5.0, 6.0, 8.0, 10.0mm	3.34

Hard Chrome Finish

For angle entry

540 Soft Grip Ball End Hex Inch Dual Drive T-handle Chrome-V-Moly, hardened, hard chrome finish. Ball tip for speed & easy insertion. Wiha soft grips are molded on with through the handle side torque drive.

Item	Hex	Ball	Tip	lbs.	pkg.
No.	Inch	Inch			
54007	3/32	5.9	Ball	.06	10
54008	7/64	5.9	Ball	.07	10
54009	1/8	5.9	Ball	.08	10
54010	9/64	5.9	Ball	.08	10
54001	5/32	5.9	Ball	.09	10
54002	3/16	5.9	Ball	.17	10
54003	7/32	5.9	Ball	.20	10
54004	1/4	5.9	Ball	.23	10
54005	5/16	7.9	Ball	.35	10
54006	3/8	7.9	Ball	.51	10

54097 10 Pc. Ball End Hex Inch Soft Grip T-handle Set- No stand

Item	Inch:	lbs.
No.	3/32, 7/64, 1/8, 9/64, 5/32, 3/16,	
54097	7/32, 1/4, 5/16, 3/8"	2.15

In metal stand

54094 8 Piece Ball End Hex Inch Soft Grip T-handle Set Blade Chrome-V-Moly, hardened, chrome finish. Wiha soft grips are molded on with through the handle side torque drive.

Item	Inch:	lbs.
No.	1/8, 9/64, 5/32, 3/16,	
54094	7/32, 1/4, 5/16, 3/8"	3.37

Soft Grip Dual Drive T-handle Black Finish

Black Finish

For angle entry

334 Soft Grip Ball End Hex Metric Dual Drive T-handle Chrome-V-Moly, hardened, black finish. Ball tip for speed & easy insertion. Wiha soft grip are molded on with through the handle side torque drive.

Item	Hex	Ball	Tip	lbs.	pkg.
No.	mm	mm			
33442*	2.0	150	.06	10	
33444*	2.5	150	.06	10	
33446*	3.0	150	.07	10	
33448	4.0	150	.09	10	
33450	5.0	150	.18	10	
33452	6.0	150	.21	10	
33454	8.0	200	.35	10	
33458	10.0	200	.55	10	

*No Ball - Standard Hex

33496 8 Pc. Ball End Hex Metric Soft Grip T-handle Set

Blade Chrome-V-Moly, hardened, black finish. Wiha soft grip are molded on with through the handle side torque drive.

Item	Metric:	lbs.
No.	2.0*, 2.5*, 3.0*, 4.0,	
33496	5.0, 6.0, 8.0, 10.0mm	2.04

*No Ball - Standard Hex

In metal stand

33489 8 Piece Hex & Ball End Hex Metric Soft Grip T-handle Set

Blade Chrome-V-Moly, hardened, black finish. Wiha soft grips are molded on with through the handle side torque drive.

Item	Metric:	lbs.
No.	2.0*, 2.5*, 3.0*, 4.0,	
33489	5.0, 6.0, 8.0, 10.0mm	3.33

*No Ball - Standard Hex





Soft Grip Dual Drive T-handle Black Finish



Black Finish


334 Soft Grip Ball End Hex Inch Dual

Drive T-handle Chrome-V-Moly, hardened, black finish. Ball tip for speed & easy insertion. Wiha soft grips are molded on with through the handle side torque drive.

Item				
No.	Inch	Inch	lbs.	pkg.
33418*	5/64	5.9	.06	10
33420*	3/32	5.9	.06	10
33422*	7/64	5.9	.07	10
33424*	1/8	5.9	.08	10
33426*	9/64	5.9	.08	10
33428	5/32	5.9	.09	10
33430	3/16	5.9	.17	10
33432	7/32	5.9	.20	10
33433	1/4	5.9	.23	10
33439	5/16	7.9	.35	10
33440	3/8	7.9	.51	10


*No Ball - Standard Hex

33494 11 Pc. Ball End Hex Inch Soft Grip Dual Drive T-handle Set


Item	Inch: 5/64*, 3/32*, 7/64*, 1/8*, 9/64*,		lbs.
33494	5/32, 3/16, 7/32, 1/4, 5/16, 3/8"		2.39

*No Ball - Standard Hex

33498 8 Pc. Ball End Hex Inch Soft Grip Dual Drive T-handle Set

Item	Inch: 1/8*, 9/64*,		lbs.
33498	5/32, 3/16, 7/32, 1/4, 5/16, 3/8"		2.15

*No Ball - Standard Hex



In metal stand

33499 8 Piece Hex & Ball End Hex Inch Soft Grip T-handle Set

Blade Chrome-V-Moly, hardened, black finish. Wiha soft grips are molded on with through the handle side torque drive.

Item	Inch: 1/8*, 9/64*,		lbs.
33499	5/32, 3/16, 7/32, 1/4, 5/16, 3/8"		3.46

*No Ball - Standard Hex

Wiha T-handle Hex Tools


Ergonomic handle design for high torque

Hole for hanging


Blade Wiha exclusive Chrome-V-Moly super tool steel hardened, nickel-plated



Smooth edges prevent injuries & eliminate pressure marks





33492 10 Pc. Hex Driver T-handle Set, Inch Sizes

Item	Inch: 3/32, 7/64,	
No.	1/8, 9/64, 5/32, 3/16,	lbs.
33492	7/32, 1/4, 5/16, 3/8"	1.74



33493 8 Pc. Hex Driver T-handle Set, Metric Sizes


Item	Metric:	
No.	2.0, 2.5, 3.0, 4.0,	lbs.
33493	5.0, 6.0, 8.0, 10.0mm	1.64




#33484

#33488

33484 8 Pc. Hex Driver T-handle Set, Inch Sizes - In metal stand





Item	Inch: 1/8, 9/64,	
No.	5/32, 3/16, 7/32,	lbs.
33484	1/4, 5/16, 3/8"	3.07





33488 8 Pc. Hex Driver T-handle Set, Metric Sizes - In metal stand

Item	Metric:	
No.	2.0, 2.5, 3.0,	lbs.
33488	5.0, 6.0, 8.0mm	3.07

334 Hex Inch & Metric Drivers, With Wiha T-handle

Chamfered tip for easy insertion. T-handle high quality plastic, impact resistant.

Item						
No.	Inch	Inch	Inch	Inch	lbs.	pkg.
33453	3/32	6.0	2.8	7.0	.05	10
33456	7/64	6.0	2.8	7.0	.05	10
33459	1/8	6.0	2.8	7.0	.06	10
33462	9/64	6.0	2.8	7.0	.07	10
33465	5/32	6.0	2.8	7.0	.08	10
33468	3/16	6.0	3.5	7.0	.13	10
33471	7/32	6.0	3.5	7.0	.16	10
33474	1/4	6.0	3.5	7.0	.18	10
33477	5/16	6.0	3.5	7.0	.25	10
33480	3/8	6.0	4.1	7.0	.39	10

Item						
No.	mm	mm	mm	mm	lbs.	pkg.
33401	2.0	100	80	126	.05	10
33436	2.0	200	80	226	.05	10
33402	2.5	100	80	126	.05	10
33437	2.5	200	80	226	.08	10
33403	3.0	100	80	126	.05	10
33404	3.0	150	80	176	.08	10
33405	3.0	200	80	226	.09	10
33435	3.0	350	100	382	.22	10
33406	4.0	100	80	126	.07	10
33407	4.0	150	80	176	.10	10
33408	4.0	200	80	226	.09	10
33438	4.0	350	100	382	.26	10
33409	5.0	100	100	132	.13	10
33410	5.0	150	100	182	.17	10
33411	5.0	200	100	232	.16	10
33412	5.0	350	100	382	.26	10
33413	5.0	450	120	488	.53	10
33414	6.0	100	100	132	.14	10
33415	6.0	150	100	182	.18	10
33416	6.0	200	100	232	.20	10
33417	6.0	350	100	382	.32	10
33419	7.0	200	100	232	.22	10
33421	8.0	100	100	132	.20	10
33423	8.0	200	100	232	.29	10
33434	8.0	350	100	372	.48	10
33425	10.0	100	120	138	.34	10
33427	10.0	200	120	238	.49	10
33429	12.0	200	120	238	.58	10

Yellow = Inch
Red = Metric



Wiha MagicRing SoftFinish® Inch & Metric Hex Drivers

Screw Holding Hex Tools

Cushioned grip and extra large diameter to achieve high torque

Screw Holding



molded on handle for permanent bond

Flat surfaces give roll-off protection



Hard Chrome Finish

367 MagicRing Ball End Hex-Driver Inch, With Wiha-SoftFinish® Handle Hex blade, Chrome-V-Moly, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Inch	Inch	mm	mm	lbs.	pkg.
36710*	.050	3.1	80	179	.06	10
36713*	1/16	3.1	80	204	.06	10
36716*	5/64	3.9	100	204	.07	10
36719*	3/32	3.9	100	204	.07	10
36723*	7/64	3.9	100	211	.07	10

With MagicRing

36726	1/8	3.9	100	243	.12	10
36728	9/64	3.9	100	243	.12	10
36732	5/32	5.0	125	271	.12	10
36734	3/16	6.0	150	271	.16	10
36736	7/32	6.0	150	271	.23	10
36738	1/4	6.0	150	271	.25	10
36742	5/16	8.0	200	271	.37	10
36744	3/8	8.0	200	271	.54	10

* Standard Ball - No Ring



36793 8 Pc. MagicRing Inch Ball End Screwdriver Set Hex blade Chrome-V-Moly, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Inch:	lbs.
36793	1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	2.25

**Don't Drop That Screw!
Save Valuable Time!
Improve Productivity!
Make The Job Easy!**



36791 13 Piece MagicRing Inch Ball End Screwdriver Set Hex blade Chrome-V-Moly, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Inch:	lbs.
36791	.050*, 1/16*, 5/64*, 3/32*, 7/64*, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	2.58

* Standard Ball - No Ring



36794 6 Piece MagicRing Inch Ball End Screwdriver Set Hex blade Chrome-V-Moly, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Inch:	lbs.
36794	3/16, 7/32, 1/4"	1.34

Hardened spring steel retaining ring holds screws on

Hard chrome super durable corrosion resistant finish

Precision machined for exact fit

Made from Wiha exclusive Chrome-V-Moly hardened tool steel



Hard Chrome Finish

367 MagicRing Ball End Hex Driver Metric, With Wiha-SoftFinish® Handle Hex blade, Chrome-V-Moly, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	mm	mm	mm	lbs.	pkg.
36715*	1.5	75	179	.06	10
36720*	2.0	100	204	.07	10
36725*	2.5	100	204	.07	10

With MagicRing

36730	3.0	100	204	.07	10
36740	4.0	125	211	.12	10
36750	5.0	150	243	.16	10
36760	6.0	150	243	.23	10
36780	8.0	200	268	.37	10
36786	10.0	200	271	.54	10

* Standard Ball - No Ring



36790 9 Piece MagicRing Metric Ball End Hex Screwdriver Set Hex blade Chrome-V-Moly, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Metric:	lbs.
36790	1.5*, 2.0*, 2.5*, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	2.06

* Standard Ball - No Ring



36792 6 Pc. MagicRing Metric Ball End Hex Screwdriver Set Hex blade Chrome-V-Moly, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Metric:	lbs.
36792	3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	1.86

Wiha Ball End 3K Series Drivers & Sets



Inch / Soft Grip


467 Ball End Hex Inch Drivers, 3K Ergo Soft Grip Handles Blades Chrome-V-Moly, hardened, black finish. Ergo soft grip handles.

Item No.	Inch	Inch	Inch	lbs.	pkg.
46702	.050	2.9	6.3	.07	10
46704	1/16	2.9	6.3	.07	10
46706	5/64	3.9	7.3	.07	10
46708	3/32	3.9	7.3	.07	10
46710	7/64	3.9	7.3	.07	10
46712	1/8	3.9	7.7	.09	10
46714	9/64	3.9	7.7	.10	10
46716	5/32	3.9	7.7	.11	10
46718	3/16	3.9	7.7	.12	10
46722	7/32	5.9	10.0	.19	10
46724	1/4	5.9	10.0	.22	10
46726	5/16	7.9	12.0	.34	10
46728	3/8	7.9	12.5	.48	10



46794 6 Pc. 3K Ergo Inch Ball End Hex Screwdriver set

Item No.	Inch:	lbs.
46794	1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	.97



46793 8 Piece 3K Ergo Inch Ball End Hex Screwdriver Set

Item No.	Inch:	lbs.
46793	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 1/8, 9/64, 5/32"	1.19



46797 13 Piece 3K Ergo Inch Ball End Hex Screwdriver Set


Item No.	Inch:	lbs.
46797	.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	2.40



Metric / Soft Grip


467 Ball End Hex Metric Screwdriver, With Wiha-3K Ergo Soft Grip Handle Blades Chrome-V-Moly, hardened, black finish.

Item No.	mm	mm	mm	lbs.	pkg.
46715	1.5	75	161	.07	10
46720	2.0	100	186	.07	10
46725	2.5	100	186	.07	10
46730	3.0	100	186	.07	10
46740	4.0	100	197	.11	10
46750	5.0	100	197	.13	10
46760	6.0	150	257	.21	10
46780	8.0	200	307	.34	10
46786	10.0	200	319	.52	10



46796 7 Piece Metric Ball End Hex Screwdriver Set

Item No.	Metric:	lbs.
46796	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm	1.15



46799 9 Piece Metric Ball End Hex Screwdriver Set

Item No.	Metric:	lbs.
46799	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm	1.93

Yellow = Inch
Red = Metric



- Soft panel grip
- Fast angle entry
- Convenient hang hole
- Exact fit precision machined tips
- Wiha exclusive Chrome-V-Moly super tool steel

Wiha PocketStar Fold-Ups



35195 7 Pc. Metric Hex PocketStar Fold Outs High alloy CVM steel, hardened, molded ergonomic handle.

Item No.	PocketStar	lbs.
35195	Metric: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm	.51

35196 7 Pc. Metric Hex PocketStar Fold Outs

Item No.	PocketStar	lbs.
35196	Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm	.31



35197 9 Pc. Inch Hex PocketStar Fold Outs High alloy CVM steel, hardened, molded ergonomic handle.

Item No.	Inch	PocketStar:	lbs.
35197	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"	.47	



35198 6 Pc. Slotted, Phillips & Hex Metric PocketStar Fold Outs High alloy CVM steel, hardened, molded ergonomic handle.

Item No.	Slotted:	Phillips:	lbs.
35198	5.5mm	#2	.35

Black Finish Long Arm Hex L-keys



Black Finish

High alloy CVM steel, hardened, black finish. Prec machined, burr free chamfered ends.

352 Inch L-key Hex, Long Arm

Item No.	Inch	mm	Inch	lbs.	pkg.
35200	.028	66	2.6	.01	10
35203	.035	68	2.7	.01	10
35213	.050	75	3.0	.01	10
35216	1/16	78	3.1	.01	10
35218	5/64	82	3.2	.01	10
35222	3/32	85	3.3	.01	10
35224	7/64	92	3.6	.02	10
35226	1/8	95	3.7	.02	10
35228	9/64	100	3.9	.03	10
35232	5/32	105	4.1	.04	10
35234	3/16	113	4.4	.05	10
35236	7/32	122	4.8	.07	10
35238	1/4	135	5.3	.10	10
35242	5/16	152	6.0	.18	10
35244	3/8	173	6.8	.30	10
35245	1/2	209	8.2	.75	1
35246	9/16	230	9.1	.99	1
35247	5/8	245	9.6	1.26	1
35248	3/4	286	11.3	2.02	1
35249	1"	359	14.1	4.38	1

352 Metric L-key Hex, Long Arm

Item No.	mm	mm	mm	lbs.	pkg.
35200	0.7	66	5	.01	10
35203	0.9	68	8	.01	10
35205	1.3	72	12	.01	10
35215	1.5	76	14	.01	10
35220	2.0	99	16	.01	10
35225	2.5	110	18	.02	10
35230	3.0	124	20	.02	10
35240	4.0	138	25	.04	10
35250	5.0	158	28	.07	10
35260	6.0	178	32	.12	10
35270	7.0	187	34	.18	10
35280	8.0	196	36	.24	10
35282	10.0	219	40	.40	10
35284	12.0	245	45	.77	1
35285	14.0	277	56	1.13	1
35286	17.0	316	63	1.80	1
35288	19.0	355	70	2.45	1



#35291

#35290

Black Finish

In Plastic Holder

35291 13 Pc. Inch Hex L-key Set

.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Item No.	lbs.	pkg.
35291	.98	1

35290 9 Pc. Metric Hex L-key Set

1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

Item No.	lbs.	pkg.
35290	.97	1

Nickel-Plated Long Arm Hex L-keys



Nickel-Plated

Ideal for use in clean rooms & other environments where non-oxidizing surfaces are specified or required.

352 Inch Inch & Metric Hex Long L-keys

Item No.	Inch	mm	Inch	lbs.	pkg.
35231	.050	75	3.0	.01	10
35233	1/16	78	3.1	.01	10
35235	5/64	82	3.2	.01	10
35237	3/32	85	3.3	.01	10
35239	7/64	92	3.6	.01	10
35241	1/8	95	3.7	.02	10
35243	9/64	100	3.9	.03	10
35251	5/32	105	4.1	.03	10
35252	3/16	113	4.4	.05	10
35253	7/32	122	4.8	.07	10
35254	1/4	135	5.3	.10	10
35255	5/16	152	6.0	.18	10
35256	3/8	173	6.8	.30	10
35257	1/2	209	8.2	.77	1
35258	9/16	230	9.1	1.04	1
35259	5/8	245	9.6	1.27	1
35261	3/4	286	11.3	2.01	1

352 Metric L-key Hex, Long Arm

Item No.	mm	mm	mm	lbs.	pkg.
35201	1.5	89	14	.01	10
35202	2.0	99	16	.01	10
35204	2.5	110	18	.02	10
35206	3.0	124	20	.02	10
35208	4.0	138	25	.04	10
35210	5.0	158	28	.07	10
35211	6.0	178	32	.12	10
35212	7.0	187	34	.17	10
35214	8.0	196	36	.23	10
35217	10.0	219	40	.40	10
35219	12.0	245	45	.77	1
35221	14.0	277	56	1.12	1
35223	17.0	316	63	1.80	1
35227	19.0	355	70	2.46	1

Nickel-Plated



In Plastic Holder

35295 13 Pc. Inch Hex L-key Set

.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Item No.	lbs.	pkg.
35295	.90	1

Nickel-Plated



In Plastic Holder

35297 9 Pc. Metric Hex L-key Set

1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

Item No.	lbs.	pkg.
35297	1.00	1

Short Arm Hex L-keys

Nickel-Plated



Ideal for use in clean rooms & other environments where non-oxidizing surfaces are specified or required.

351 Metric L-key Hex Metric, Short Arm

high alloy CVM steel, hardened, nickel plated. Precision machined, burr free chamfered ends.

Item No.	mm	mm	mm	lbs.	pkg.
35104	1.5	46	14	.01	10
35108	2.0	51	16	.01	10
35112	2.5	57	18	.01	10
35116	3.0	64	25	.02	10
35120	4.0	72	25	.03	10
35124	5.0	83	28	.04	10
35128	6.0	94	32	.07	10
35132	7.0	99	34	.10	10
35136	8.0	105	36	.13	10
35140	9.0	112	38	.18	10
35144	10.0	119	40	.23	10
35145	12.0	134	45	.40	1
35175	14.0	151	55	.61	1
35177	17.0	173	60	1.02	1
35179	19.0	195	70	1.40	1

351 Inch L-key Hex, Short Arm

Item No.	Inch	Inch	Inch	lbs.	pkg.
35143	.050	1.6	.39	.01	10
35146	1/16	1.8	.55	.01	10
35147	5/64	2.0	.63	.01	10
35150	3/32	2.1	.75	.01	10
35152	7/64	2.1	.75	.01	10
35153	1/8	2.3	.83	.02	10
35155	9/64	2.4	.91	.02	10
35156	5/32	2.7	.99	.02	10
35159	3/16	2.8	1.0	.04	10
35162	7/32	3.1	1.2	.05	10
35165	1/4	3.5	1.2	.08	10
35168	5/16	3.9	1.4	.13	10
35171	3/8	4.2	1.5	.20	10
35174	1/2	5.8	1.7	.46	1
35176	9/16	6.2	2.5	.64	1
35178	5/8	6.9	2.8	.85	1
35180	3/4	7.8	3.5	1.40	1



Nickel-Plated

35299 20 Pc. Inch Hex L-key Set - Nickel Plated

.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/4, 5/16, 3/8, 1/2, 9/16, 5/8, 3/4"

Item No.	lbs.	pkg.
35299	5.96	1

Short Arm Hex L-keys

Nickel-Plated



35191 9 Piece Metric Hex L-key Set, In Plastic Holder Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm
 lbs. .59 pkg. 1

Nickel-Plated



35193 6 Piece Metric Hex L-key Set, In Plastic Holder Equipped with 1.5, 2.0, 2.5, 3.0, 4.0, 5.0mm
 lbs. .20 pkg. 1

Nickel-Plated



35192 8 Piece Inch Hex L-key Set, In Plastic Holder Equipped with 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16"
 lbs. .41 pkg. 1

Nickel-Plated



35194 13 Piece Inch Hex L-key Set, In Plastic Holder Equipped with .050 - 3/8"
 lbs. .72 pkg. 1

Short Arm Hex L-keys - Black Finish


Black Finish



353 Metric L-key Hex Metric, Short Arm high alloy CVM steel, hardened, black finish. Precision machined, burr free chamfered ends.

Item No.	mm	mm	mm	lbs.	pkg.
35301	0.7	31	-	.01	10
35302	0.9	31	-	.01	10
35303	1.3	40	12	.01	10
35304	1.5	45	14	.01	10
35305	2.0	49	16	.01	10
35306	2.5	55	18	.01	10
35307	3.0	61	20	.02	10
35308	4.0	68	25	.03	10
35309	5.0	78	28	.04	10
35310	6.0	88	32	.07	10
35311	7.0	92	34	.10	10
35312	8.0	97	36	.13	10
35313	9.0	103	38	.17	10
35314	10.0	109	40	.23	10
35316	11.0	115	42	.29	10
35317	12.0	122	45	.40	1
35318	14.0	137	56	.61	1
35319	17.0	156	63	1.03	1
35320	19.0	176	70	1.40	1
35321	22.0	195	80	2.17	1

Black Finish



353 Inch L-key Hex Inch, Short Arm


Item No.	Inch	Inch	Inch	lbs.	pkg.
35301	.028	1.2	-	.01	10
35302	.035	1.2	-	.01	10
35330	.050	1.6	.4	.01	10
35331	1/16	1.8	.6	.01	10
35332	5/64	2.0	.6	.01	10
35333	3/32	2.1	.8	.01	10
35334	7/64	2.1	.8	.01	10
35335	1/8	2.3	.8	.02	10
35336	9/64	2.4	.9	.02	10
35337	5/32	2.7	1.0	.02	10
35338	3/16	2.8	1.0	.05	10
35339	7/32	3.1	1.2	.07	10
35340	1/4	3.5	1.2	.07	10
35341	5/16	3.9	1.4	.13	5
35342	3/8	4.2	1.5	.20	5
35343	1/2	5.2	1.7	.49	1
35345	9/16	6.2	2.5	.66	1
35346	5/8	6.9	2.8	.86	1
35347	3/4	7.8	3.5	1.45	1
35348	1"	8.7	3.6	3.14	1



In Plastic Holder

35390 9 Piece Metric Hex L-key Set 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm
 lbs. .59 pkg. 1

Black Finish




35392 5 Piece Mini Metric Hex L-key Set Equipped with 0.7, 0.9, 1.3, 1.5, 2.0mm
 lbs. .03 pkg. 1

Black Finish



35391 13 Piece Inch Hex L-key Set .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"
 lbs. .64 pkg. 1

Black Finish



35393 5 Piece Mini Inch Hex L-key Set Equipped with .028, .035, .050, 1/16, 5/64"
 lbs. .03 pkg. 1

Wiha Insulated T-handles

Insulation Test Standards:

Insulation according to EN/IEC 60900, ASTM F-1505-10, VDE 0682/part 201, DIN 7437, NFPA70E, CSA

Responds to OSHA's use specification 29 CFR1910


Insulation

Molded directly onto blade for permanent bonding

Blade CVM tool steel, hardened to average 58/60RC

1000V

Each tool individually tested to 10,000 volts and certified to 1000 Volt ac or 1500 Volt dc



1000V

334 Inch T-handle, With Wiha-Molded Handle Insulation According to ASTM F-1505-10, New VDE Specification 0682/part 201, EN/IEC 60900, NFPA70E and CSA, up to 1000 Volt. Individually Tested.

Blade CVM steel, hardened. Insulation molded directly onto blade. Wiha-SoftFinish® handle, multi-component.

Item						
No.	Inch	Inch	Inch	mm	lbs.	pkg.
33481	5/32	5.9	6.9	176	.09	10
33482	3/16	5.9	6.9	176	.15	10
33483	7/32	5.9	6.9	176	.19	10
33485	1/4	5.9	6.9	176	.20	10
33486	5/16	5.9	6.9	176	.26	10
33487	3/8	5.9	6.9	176	.44	10



1000V

334 Metric T-handle, With Wiha-Molded Handle. Insulation According to ASTM, VDE, EN/IEC, NFPA70E and CSA, up to 1000 Volt. Individually Tested.

Item						
No.	mm	mm	mm	lbs.	pkg.	
33441	4.0	150	176	.09	10	
33443	5.0	150	176	.15	10	
33445	6.0	150	176	.18	10	
33447	8.0	150	176	.26	10	
33449	10.0	150	176	.46	10	



1000V

33490 6 Piece Hex Inch T-handle Set

Item	Hex Inch:	
No.	5/32, 3/16, 7/32,	lbs.
33490	1/4, 5/16, 3/8"	1.66



1000V

33478 5 Piece Hex Metric T-handle Set

Item	Hex Metric:	
No.	4.0, 5.0, 6.0,	lbs.
33478	8.0, 10.0mm	1.20

Wiha Insulated Hex Metric Screwdrivers



1000V

323 Hex Metric Screwdriver, With Wiha-SoftFinish® Handle Insulation According to ASTM F-1505-10, New VDE Specification 0682/part 201 and EN/IEC 60900, NFPA70E & CSA, up to 1000 Volt. Individually Tested. Blade high alloy CVM steel, hardened, black finish. Insulation molded directly onto blade. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item					
No.	Size	mm	mm	lbs.	pkg.
32302	2.5	75	179	.06	10
32303	3.0	75	179	.08	10
32304	4.0	75	186	.12	10
32305	5.0	75	186	.15	10
32306	6.0	100	218	.21	10
32308	8.0	100	218	.34	10




1000V

32366 6 Piece Insulated Hex Metric Screwdriver Set

Item	Hex Metric:	
No.	2.5, 3.0, 4.0,	lbs.
32366	5.0, 6.0, 8.0mm	1.06

Wiha Insulated Inch & Metric Hex L-keys

Insulation Test Standards:
Insulation according to ASTM,
EN/IEC & CSA



1000V

Insulation
Applied directly onto
blade for permanent
bonding

Each tool individually
tested to 10,000 volts
and certified to 1000
Volt ac or 1500 Volt dc

136 Inch Insulated Hex L-keys, With Insulated Handle Insulation According to IEC 60900 specification, up to 1000 Volt. Individually Tested. Blade chrome-vanadium steel, hardened.

Item No.	ØMM	OAL	OAL	↔	↔
	Inch	mm	Inch	lbs.	pkg.
13670	1/16	79	3.1	.05	1
13671	5/64	84	3.3	.05	1
13672	3/32	89	3.5	.05	1
13673	7/64	94	3.7	.06	1
13663	1/8	104	4.1	.06	1
13665	5/32	104	4.1	.06	1
13666	3/16	134	5.3	.10	1
13667	7/32	134	5.3	.12	1
13668	1/4	134	5.3	.16	1
13669	5/16	144	5.7	.24	1
13662	3/8	234	9.2	.51	1
13664	1/2	234	9.2	.77	1

136 Metric Insulated Hex L-keys, With Insulated Handle Insulation According to IEC 60900 specification, up to 1000 Volt. Individually Tested. Blade chrome-vanadium steel, hardened.

Item No.	ØMM	OAL	OAL	↔	↔
	mm	mm	Inch	lbs.	pkg.
13650	1.5	100	3.9	.09	1
13651	2.0	105	4.1	.09	1
13652	2.5	115	4.5	.09	1
13653	3.0	130	5.1	.10	1
13654	4.0	120	4.7	.10	1
13655	5.0	140	5.5	.10	1
13656	6.0	140	5.5	.13	1
13658	8.0	150	5.9	.24	1
13659	10.0	220	8.7	.51	1
13657	12.0	260	10.2	.77	1



1000V

13690 8 Pc. Insulated Hex L-key Set - Inch

Item No.	Inch:	↔
13690	1/8, 5/32, 3/16, 7/32,	lbs.
	1/4, 5/16, 3/8, 1/2"	2.17



1000V

13691 7 Pc. Insulated Hex L-key Set- Metric

Item No.	Metric:	↔
13691	3.0, 4.0, 5.0, 6.0,	lbs.
	8.0, 10.0, 12.0mm	2.07



1000V



13693 10 Piece Insulated Hex Metric L-key Set

Item No.	Metric:	↔
13693	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0,	lbs.
	8.0, 10.0, 12.0mm	2.26

13694 12 Pc. Insulated Hex Inch L-key Set

Item No.	Inch:	↔
13694	1/16, 5/64, 3/32, 7/64, 1/8,	lbs.
	5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2"	2.40

Wiha Insulated 3/8" Bit Sockets & Set



1000V

318 Insulated 3/8" Drive Sockets - Insulation according to EN/IEC 60900, DIN 7448 specification, up to 1000 Volt. Individually Tested. Chrome-vanadium steel, forged, oil-hardened.

Item No.	Inch	OAL	↔	↔
			lbs.	pkg.
31805	3/16	3.1"	.13	1
31807	7/32	3.1"	.14	1
31809	1/4	3.1"	.14	1
31811	5/16	3.1"	.16	1
31813	3/8	3.1"	.18	1
31815	7/16	3.1"	.20	1
31817	1/2	3.1"	.22	1

*Sockets must be used with insulated ratchets & extensions



1000V

31890 7 Pc. Insulated 3/8" Drive Socket Set - Inch CV steel, forged, oil-hardened sockets. Insulated to EN/IEC 60900.

Item No.	Inch:	↔
31890	3/16, 7/32, 1/4, 5/16,	lbs.
	3/8, 7/16, 1/2"	1.7

Wiha Insulated 1/2" Bit Sockets & Set



1000V

318 Insulated 1/2" Drive Sockets Chrome-vanadium steel, forged, oil-hardened.

Item No.	Inch	OAL	↔	↔
		Inch	lbs.	pkg.
31830	1/4	2.75	.22	1
31832	5/16	2.75	.24	1
31834	3/8	2.75	.25	1
31836	7/16	3.63	.31	1
31838	1/2	3.63	.34	1
31840	9/16	3.63	.36	1
31842	5/8	3.63	.42	1
31844	3/4	3.63	.51	1







*Sockets must be used with insulated ratchets & extensions

Wiha Power Blades



76000 CentroFix Cushion Grip Blade Holder




Wiha-SoftFinish® impact resistant, with roll off protection. Quick release bit holder with magnet.


Item						
No.	mm	mm	Inch	mm	Inch	lbs.
76000	6.0	149	5.9	34.6	1.36	.26




760 Security Hex Metric Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item			
No.	mm	lbs.	pkg.
76001	2.5	.02	1
76002	3.0	.02	1
76003	4.0	.03	1
76004	5.0	.04	1






76090 4 Piece Security Hex Blade Set

Item		Set includes:
No.	lbs.	Metric: 2.5, 3.0,
76090	.12	4.0, 5.0 x 90mm




760 Security Hex Inch Power Blades


OAL 90mm/3.5".

Item			
No.	Inch	lbs.	pkg.
76045	1/16*	.01	1
76046	5/64	.01	1
76047	3/32	.02	1
76048	7/64	.02	1
76049	1/8	.03	1
76050	9/64	.03	1
76051	5/32	.04	1
76052	3/16	.04	1
76053	7/32	.05	1
76054	1/4	.06	1

* 1/16" Standard Inch Hex Only



76096 10 Piece Security Hex Blade Set

Item		Set includes:
No.	lbs.	3/32, 7/64, 1/8, 9/64, 5/32,
76096	.32	3/16, 7/32, 1/4" x 90mm

* 1/16" Standard Inch Hex Only

Wiha Drive-Loc VI Handles

For Adjustable Length Locking Blades

Drive-Loc mechanism guarantees a secure hold & rapid blade exchange

Blades high quality CVM steel, hard chrome finish









Adjustable blade lengths 1.7" to 4.7" in 1/8" increments



28488 Drive-Loc VI Cushion Grip Handle

Ergonomic cushion grip, Drive-Loc mechanism guarantees secure hold & rapid blade exchange.







Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28488	6.0	115	4.5	36.0	1.41	.26

Adjustable blade lengths 1.7" to 4.7" in 1/8" increments



28487 Drive-Loc VI MicroFinish Non-Slip Grip Handle

Ergonomic handle shape for maximum comfort, Drive-Loc mechanism guarantees secure hold & rapid blade exchange.







Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28487	6.0	115	4.5	36.0	1.41	.20

Adjustable blade lengths 1.7" to 4.7" in 1/8" increments



28486 ESD Safe Drive-Loc VI Handle


Drive-Loc mechanism guarantees a secure hold and rapid blade exchange.

Item						
No.	mm	mm	Inch	mm	Inch	lbs.
28486	6.0	115	4.5	36.0	1.41	.21



28189 15 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch

Set includes Drive-Loc VI handle & 14 interchangeable blades.




Item No. 28189		lbs. 1.40
Slotted:	3.5+4.5, 5.5+6.5	Phillips: 1+2
Security TORX®:	T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s	
Hex Inch:	3/32+7/64, 1/8+9/64, 5/32+3/16	
Hex Metric:	2.0+2.5, 3.0+4.0, 5.0+6.0mm	
Wiha SoftFinish® Cushion Grip Blade Lock Handle		



Drive-Loc VI Blades


281 Ball End Hex & Hex Metric Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. Ball end enables the user to work at angles up to 25°. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	mm	+ mm	lbs.	pkg.
28116	2.5	2.5	.10	1
28117	3	3	.10	1
28118	4	4	.10	1
28119	5	5	.10	1
28120	6	6	.10	1





28476 5 Piece Ball End & Hex Blade Set

Item		Set includes:
No.	lbs.	2.5, 3.0, 4.0,
28476	.36	5.0, 6.0mm







281 Hex Metric Drive-Loc VI Interchangeable Blade

High alloy CVM steel, through hardened, hard chrome finish. Over all blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	mm	+ mm	lbs.	pkg.
28149	2.0	2.5	.09	1
28150	3.0	4.0	.10	1
28151	5.0	6.0	.10	1


281 Hex Inch Drive-Loc VI Interchangeable Blade

Over all blade length 150mm/5.9"

Item				
No.	Inch	+ Inch	lbs.	pkg.
28122	3/32	7/64	.10	1
28123	1/8	9/64	.10	1
28124	5/32	3/16	.10	1



28474 5 Pc. Hex Inch & Metric Blade Set

Item		Set includes:
No.	lbs.	3/32+7/64, 1/8+9/64,
28474	.36	5/32+3/16"

TorqueControl Handles & Hex Interchangeable Blades

Wiha TorqueControl Screwdrivers

Cushion grips for maximum user comfort

Loosening torque 50% greater than the tightening torque

Automatically resets for next torque setting cycle

Audible & perceptible click alerts user that torque level has been attained



+/-6% accuracy tolerance Certificate of calibration

285 TorqueFix, With Wiha-SoftFinish®

Handle Fixed Torque value pre-set. Tested in accordance with EN ISO 6798, BS EN 26789, ASME B107.14M, tolerance +/- 6%.

Item No.	Pre-Sets					
	oz.	lbs.	Nm	Inch	lbs.	pkg.
28503	80	5	0.56	4.4	.16	1
28505	120	7.5	0.84	4.4	.15	1
28507	160	10	1.12	4.7	.28	1
28509	200	12.5	1.41	4.7	.27	1
28511	240	15	1.69	4.7	.27	1
28513	320	20	2.25	4.7	.28	1
28515	400	25	2.82	4.9	.37	1
28517	480	30	3.39	4.9	.37	1
28518	560	35	3.95	4.9	.37	1
28519	640	40	4.52	4.9	.37	1
28521	800	50	5.65	5.2	.52	1
28523	960	60	6.78	5.2	.52	1
28525	1120	70	7.91	5.2	.52	1

Each tool has unique serial number and certificate of calibration

Direct Reading Scale



+/-6% accuracy tolerance Certificate of calibration

285 Adjustable TorqueVario With Direct Reading Scale EN ISO 6798, BS EN 26789, ASME B107.14M. Ergonomic molded

multi-component handle, light and compact. Handle sizes proportioned to optimize torque range. Audible and perceptible click when the torque setting has been attained, automatically resets for next torque cycle.

Item No.	Range	Inch	lbs.	Increments	mm	lbs.	pkg.
28501*	15 - 80(in/oz)			2.5 In/oz	122-127	.22	1
28502	5 - 10			.5 In/lbs	122-127	.41	1
28506	10 - 50			2 In/lbs	133-138	.59	1

Above includes Micro Bit Holder 28583 * +/- 10% (This unit only) * (1 Nm = 8.8507) See 4mm Micro Bits on Page 25



+/-6% accuracy tolerance Certificate of calibration

285 Adjustable TorqueVario-S Handle - In Newton Meter Scale EN ISO 6798, BS EN 26789, ASME B107.14M.

Item No.	Newton Meter Scale	Increments	mm	lbs.	pkg.
28550*	0.1 - 0.6Nm	.02 Nm	122-127	.35	1
28551	0.4 - 1.0Nm	.05 Nm	122-127	.35	1
28552	0.5 - 2.0Nm	.05 Nm	126-131	.45	1
28553	0.8 - 5.0Nm	.20 Nm	133-138	.55	1
28655	2.0 - 7.0Nm	.25 Nm	137-142	.70	1

* +/- 10% (This unit only) * (1 Nm 8.8507)

Direct Reading Scale



+/-6% accuracy tolerance Certificate of calibration

284 Adjustable TorqueVario With Direct Reading Scale

Item No.	Range	Inch	lbs.	Increments	mm	lbs.	pkg.
28404	5 - 18			.5 In/lbs	126-131	.50	1
28408	18 - 62			2 In/lbs	137-142	.74	1

285 Hex Metric Interchangeable Blades For TorqueFix & TorqueVario Hex tip blades on narrow 5/32 Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item No.	mm	mm	lbs.	Nm	pkg.
28545	1.5	175	.07	0.9	1
28546	2.0	175	.07	1.8	1
28547	2.5	175	.07	3.8	1
28548	3.0	175	.07	8.0	1
28549	4.0	175	.07	8.0	1

285 Hex Inch Interchangeable Blades For TorqueFix & TorqueVario

Item No.	Inch	mm	lbs.	Nm	pkg.
28555	.050	175	.07	.4	1
28556	1/16	175	.07	.9	1
28557	5/64	175	.07	1.8	1
28558	3/32	175	.07	1.8	1
28559	7/64	175	.07	3.8	1
28560	1/8	175	.07	3.8	1
28587	9/64	175	.07	8.0	1
28588	5/32	175	.07	8.0	1

Whether it's TorqueVario-S or TorqueFix - Wiha has a torque screwdriver to cover almost every application

TorqueFix Key Wing Handles & Blades

EN ISO 6798, BS EN 26789, ASME B107.14M

+/- 6% Accuracy



Compact design specially used for hard to reach screws & confined spaces

Includes Calibration Certificate

283 TorqueFix Wing Handles

Audible & perceptible click when torque setting has been attained.

Item No.	Nm	mm	Inch	pkg.	lbs.
28349	0.5	68	2.7	1	.28
28351	0.6	68	2.7	1	.28
28352	0.9	68	2.7	1	.28
28353	1.1	68	2.7	1	.28
28354	1.2	68	2.7	1	.28
28355	1.4	68	2.7	1	.28
28356	2.0	68	2.7	1	.28
28357	2.5	68	2.7	1	.28
28358	3.0	68	2.7	1	.28
28359	3.8	68	2.7	1	.28
28360	4.0	68	2.7	1	.28



283 Hex Metric & Inch Blades For TorqueFix Wing Handles CVM steel, through-hardened, titanium silver

Item No.	mm	Nm	Inch	mm	pkg.	lbs.
28361	1.5	0.9	3.0	75	1	.03
28362	2.0	1.8	3.0	75	1	.03
28363	2.5	3.8	3.0	75	1	.03
28364	3.0	5.5	3.0	75	1	.03
28365	4.0	8.0	3.0	75	1	.03



T-handle TorqueControl Handles and Hex Interchangeable Blades



Includes Calibration Certificate

289 TorqueFix T-handle EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6% Accuracy Ergonomic multi-component handle, light & compact. With Certificate of calibration.

Item No.	Torque In-lbs.	Torque Nm	mm x mm	lbs.	pkg.
28931	53.1	6	56 x 120	.81	1
28933	70.8	8	56 x 120	.82	1
28935	88.5	10	56 x 120	.79	1
28937	106.2	12	56 x 120	.79	1
28938	110.6	12.5	56 x 120	.80	1
28939	123.9	14	56 x 120	.80	1

Each TorqueFix T-handle has unique serial number and certificate of calibration



Adjustable from Nm 5-14 or In-lbs. 44.3-123.9



Includes Calibration Certificate

28940 Adjustable TorqueVario STplus T-handle EN ISO 6798, BS EN 26789, ASME B107.14M, +/- 6% Accuracy Ergo multi-component handle, light & compact.

Item No.	Torque In-lbs.	Torque Nm	mm x mm	lbs.	pkg.
28940	44.3-123.9	5-14	56 x 120	.81	1

* (1 Nm 8.8507)



289 Hex Metric Interchangeable Blades For TorqueFix T-handle Hex tip blades on 6mm Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item No.	mm	mm	Inch	lbs.	pkg.
28916	3.0	130	5.1	.11	1
28917	4.0	130	5.1	.11	1
28918	5.0	130	5.1	.11	1
28919	6.0	130	5.1	.11	1



289 Hex Inch Interchangeable Blades For TorqueFix T-handle Hex tip blades on 6mm Hex shafts. High alloy CVM steel, hardened, satin hard chrome finish.

Item No.	Inch	mm	Inch	lbs.	pkg.
28920	1/8	130	5.1	.11	1
28921	9/64	130	5.1	.11	1
28922	5/32	130	5.1	.11	1
28923	3/16	130	5.1	.11	1
28924	7/32	130	5.1	.11	1

Insulated TorqueControl Tools

Includes Certificate

⚡1000Volt



287 Insulated TorqueVario-S, With Window Scale Insulation ⚡ up to 1000 Volt. EN/IEC 60900 EN ISO 6798, BS EN 26789, ASME B107.14M & CSA, +/- 6% Accuracy. Ergonomic multi-component handle, light & compact. Handle sizes proportioned to optimize torque range. Audible & perceptible click when torque setting has been attained. Includes SlimLine blade holder.

Item No.	Range	Inch lbs.	Increments	mm	lbs.	pkg.
28750	5 - 18	.5	In/lbs	126-131	.43	1
28751	10 - 50	2	In/lbs	133-138	.40	1
28752	18 - 62	2	In/lbs	137-142	.69	1

⚡1000Volt



287 Insulated TorqueVario-S Handle - In Newton Meter Scale Includes SlimLine blade holder.

Item No.	Range	mm	lbs.	pkg.
28740	0.5 - 2.0	131	.45	1
28741	1.0 - 5.0	138	.45	1
28742	2.0 - 7.0	142	.72	1

Each TorqueVario handle has unique serial number & certificate of calibration



283 Insulated Hex Metric SlimLine Blades SlimLine blades have up to 33% narrower insulation diameter than standard insulated tools.

Item No.	mm	Slim Dia.	Max Nm	Inch/ lbs.	lbs.	Pkg.
28332	1.5	4.0	0.9	7.9	.02	1
28333	2.0	4.0	1.8	15.9	.02	1
28334	2.5	4.0	3.8	33.6	.02	1
28335	3.0	4.0	5.5	48.7	.02	1
28336	4.0	6.0	5.5	48.7	.02	1
28337	5.0	6.0	5.5	48.7	.02	1
28338	6.0	6.0	5.5	48.7	.02	1

Wiha Hex Precision Series



263 Metric Metric Hex Driver, With Precision Handle Blade high alloy CVM steel.

Item	Metric		Inch		Metric		Inch		lbs.	pkg.
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch		
26307	0.7	0.028	40	1.6	120	4.7	.02	10		
26309	0.9	0.035	40	1.6	120	4.7	.02	10		
26313	1.3	0.05	40	1.6	120	4.7	.02	10		
26315	1.5	-	50	2.0	145	5.7	.03	10		
26320	2.0	5/64	50	2.0	145	5.7	.03	10		
26325	2.5	-	60	2.4	170	6.7	.04	10		
26330	3.0	-	60	2.4	170	6.7	.04	10		
26340	4.0	-	60	2.4	170	6.7	.05	10		

*Metric dimensions actual -
Inch dimensions approximate



26390 7 Pc. Precision Hex Driver Set - Metric Blade high alloy CVM steel.

Item	Metric:	lbs.
No.	0.7, 0.9, 1.3, 1.5,	
26390	2.0, 2.5, 3.0mm	.28



26399 8 Pc. Precision Hex Driver Set - Inch Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch

Item	Inch:	lbs.
No.	0.028, 0.035, 0.05, 1/16, 5/64,	
26399	3/32, 7/64, 1/8"	.55



263 Inch Inch Hex Driver, With Precision Handle Blade high alloy CVM steel.

Item	Inch		Metric		Inch		Metric		lbs.	pkg.
No.	Inch	mm	mm	Inch	mm	Inch	mm	Inch		
26307	.028	0.7	40	1.6	120	4.7	.02	10		
26309	.035	0.9	40	1.6	120	4.7	.02	10		
26313	0.05	1.3	40	1.6	120	4.7	.02	10		
26316	1/16	-	50	2.0	145	5.7	.03	10		
26320	5/64	2.0	50	2.0	145	5.7	.03	10		
26323	3/32	-	60	2.4	170	6.7	.04	10		
26327	7/64	-	60	2.4	170	6.7	.04	10		
26331	1/8	-	60	2.4	170	6.7	.04	10		
26333	9/64	60	2.4	170	6.7	.05	10			
26336	5/32	60	2.4	170	6.7	.05	10			

*Metric dimensions actual -
Inch dimensions approximate



26391 8 Pc. Precision Hex Driver Set - Inch Blade high alloy CVM steel.

Item	Inch:	lbs.
No.	0.028, 0.035, 0.05, 1/16, 5/64, 3/32,	
26391	7/64, 1/8"	.32

Ball End Precision Series



264 Inch Ball End Hex Inch Screwdriver With Precision Handle Angle entry up to 30°. Blade high alloy CVM steel. Hard chrome finish.

Item	Inch		Metric		Inch		Metric		lbs.	pkg.
No.	Inch	mm	Inch	mm	Inch	mm	Inch	mm		
26413	0.05	40	1.6	120	4.7	.02	10			
26416	1/16	50	2.0	145	5.7	.03	10			
26419	5/64	50	2.0	145	5.7	.03	10			
26423	3/32	50	2.0	145	5.7	.03	10			
26427	7/64	60	2.4	170	6.7	.03	10			
26431	1/8	60	2.4	170	6.7	.05	10			
26436	9/64	60	2.4	170	6.7	.05	10			
26439	5/32	60	2.4	170	6.7	.05	10			

*Metric dimensions actual -
Inch dimensions approximate



26490 8 Pc. Ball End Hex Driver Set - Inch Angle entry up to 30°. Blade high alloy CVM steel.

Item	Inch:	lbs.
No.	0.05, 1/16, 5/64, 3/32, 7/64,	
26490	1/8, 9/64, 5/32"	.40



26499 8 Pc. Ball End Hex Driver Set - Inch In canvas storage pouch

Item	Inch:	lbs.
No.	0.05, 1/16, 5/64, 3/32, 7/64,	
26499	1/8, 9/64, 5/32"	.62

Wiha Ball End Metric Hex Precision Series



264 Metric Ball End Hex Metric Screwdriver With Precision Handle Angle entry up to 30°

Item	Metric		Inch		Metric		Inch		lbs.	pkg.
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch		
26413	1.3	0.05	40	1.6	120	4.7	.02	10		
26415	1.5	-	50	2.0	145	5.7	.03	10		
26420	2.0	-	50	2.0	145	5.7	.03	10		
26425	2.5	-	60	2.4	170	6.7	.04	10		
26430	3.0	-	60	2.4	170	6.7	.05	10		
26440	4.0	-	60	2.4	170	6.7	.05	10		



26491 5 Piece Ball End Hex Driver Set - Metric Angle entry up to 30°

Item	Metric:	lbs.
No.	1.3, 1.5, 2.0,	
26491	2.5, 3.0mm	.31

*Metric dimensions actual -
Inch dimensions approximate

91118 Rugged Polyester Canvas Storage Pouch Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

Item	Size	lbs.	pkg.
91118	14 1/2" W x 7 3/4" L	.13	1

Pico Soft Grip Ball End Inch & Metric



264 Ball End Hex Inch Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item	No.	Inch	Inch	mm	Inch	mm	pkg.
	26455	1/16	2.0	50	5.9	150	10
	26457	5/64	2.0	50	5.9	150	10
	26459	3/32	2.0	50	5.9	150	10
	26461	7/64	2.4	60	6.3	160	10
	26463	1/8	2.4	60	6.3	160	10
	26465	9/64	2.4	60	6.3	160	10
	26467	5/32	2.4	60	6.3	160	10

*Metric dimensions actual - Inch dimensions approximate



26493 7 Piece Inch Ball End Hex Precision Driver Set, With Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item	Inch:	lbs.
No.	1/16, 5/64, 3/32, 7/64,	
26493	1/8, 9/64, 5/32"	.27



264 Ball End Hex Metric Screwdriver, With Precision Soft PicoFinish Handle. Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item	No.	mm	mm	Inch	mm	Inch	pkg.
	26441	1.3	40	1.6	134	5.3	10
	26443	1.5	50	2.0	150	5.9	10
	26445	2.0	50	2.0	150	5.9	10
	26447	2.5	60	2.4	160	6.3	10
	26449	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate

Pico Soft Grip Hex Inch & Metric



263 Hex Inch Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item	No.	Inch	mm	Inch	mm	Inch	pkg.
	26341	0.028(0.7)	40	1.6	134	5.3	10
	26343	0.035(0.9)	40	1.6	134	5.3	10
	26345	0.05(1.3)	40	1.6	134	5.3	10
	26349	5/64(2.0)	50	2.0	150	5.9	10
	26363	1/16	50	2.0	144	5.7	10
	26367	3/32	60	2.4	160	6.3	10
	26369	7/64	60	2.4	160	6.3	10
	26371	1/8	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



263 Hex Metric Driver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item	No.	mm	mm	Inch	mm	Inch	pkg.
	26341	0.7(0.028)	40	1.6	134	5.3	10
	26343	0.9(0.035)	40	1.6	134	5.3	10
	26345	1.3(0.05)	40	1.6	134	5.3	10
	26347	1.5	50	2.0	144	5.7	10
	26349	2.0(5/64)	50	2.0	150	5.9	10
	26351	2.5	60	2.4	160	6.3	10
	26353	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate

In storage pouch



26392 8 Pc. Hex Inch Precision Driver Set

Item	Inch:	lbs.
No.	0.028, 0.035, 0.05,	
26392	5/64, 1/16, 3/32, 7/64, 1/8"	.24



26393 7 Pc. Hex Metric Precision Driver Set In storage pouch

Item	Metric:	lbs.
No.	0.7, 0.9, 1.3, 1.5	
26393	2.0, 2.5, 3.0mm	.22

Wiha Ball End Protturn Precision Series



Set in canvas storage pouch

62995 22 Piece Slotted/Phillips/TORX/ Ball End Hex Inch & Metric Tech Pack

Wiha Protturn precision ball retainer handle & 21 Wiha interchangeable blades.

62995 Set includes the following blades:

- Slotted: 1.5, 2.0, 3.0, 4.0
- ⊕ Phillips: #000, #00, #0, #1
- ⊗ TORX: T6, T7, T8, T9, T10, T15, T20
- Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm

lbs. .87



Set in canvas storage pouch

62994 14 Piece Inch/Metric Ball End Hex Work Tech Pack Protturn precision ball retainer handle & 13 Wiha interchangeable blades.

62994 Set includes the following blades:

- Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm
- ↔ lbs. .66

SYSTEM 4 Handles & Blades

Rotating Cap
for precise turning and control

Precision Handle
high quality plastic, cadmium free. ESD Safe or Standard styles

Tapered Handle
allows rapid rotation, requires less clearance

Tips
exact fit, precision machined

Blades
CVM steel, hardened, hard chromed

Collet Lock Handle adjustable blade length from 15 to 95mm / .6" to 3.75"



26900 SYS 4 Standard Precision Handle, with rotating control cap. Accepts all SYSTEM 4 interchangeable blades. Wiha Precision handle, tapered, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item	mm	Inch	mm	Inch	lbs.
26900	4.0	.1574	14.0	.55	.04



26901 SYSTEM 4 Standard Precision Adjustable handle with rotating control cap.

- Allows adjustable blade from 15 to 95mm.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item	mm	Inch	mm	Inch	lbs.
26901	4.0	.1574	14.0	.55	.06



269 SYSTEM 4 Metric Ball End & Standard Hex, Reversible Blade
Wiha vapor Chrome-Top finish on tips. One side hex, other side ball end hex.

Item	mm	mm	mm	Inch	lbs.
26932	1.27 + 1.27	120	4.7	.05	
26933	1.5 + 1.5	120	4.7	.05	
26934	2.0 + 2.0	120	4.7	.06	
26935	2.5 + 2.5	120	4.7	.06	
26936	3.0 + 3.0	120	4.7	.06	
26937	4.0 + 4.0	120	4.7	.06	



269 SYSTEM 4 Metric Hex, Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

Item	mm	mm	Inch	lbs.
26913	0.7	120	4.7	.06
26914	0.9	120	4.7	.06
26916	1.5	120	4.7	.06
26917	2.0	120	4.7	.06
26918	2.5	120	4.7	.06
26919	3.0	120	4.7	.06
26920	4.0	120	4.7	.06



269 SYSTEM 4 Inch Hex, Interchangeable Blade

Item	Inch	mm	Inch	lbs.
26921	0.05	120	4.7	.06
26923	1/16	120	4.7	.06
26924	5/64	120	4.7	.06
26925	3/32	120	4.7	.06
26926	7/64	120	4.7	.06
26927	1/8	120	4.7	.06
26928	9/64	120	4.7	.06
26929	5/32	120	4.7	.06



280 SYSTEM 4 Metric Ball End Hex Interchangeable Blade Ball end works at 30° angle entry for easy access to fasteners.

Item	mm	mm	Inch	lbs.	pkg.
28033	1.5	120	4.7	.06	1
28034	2.0	120	4.7	.06	1
28035	2.5	120	4.7	.06	1
28036	3.0	120	4.7	.06	1
28037	4.0	120	4.7	.06	1



280 SYSTEM 4 Inch Ball End Hex Interchangeable Blade

Item	Inch	mm	Inch	lbs.
28021	.050	120	4.7	.06
28023	1/16	120	4.7	.06
28024	5/64	120	4.7	.06
28025	3/32	120	4.7	.06
28026	7/64	120	4.7	.06
28027	1/8	120	4.7	.06
28028	9/64	120	4.7	.06
28029	5/32	120	4.7	.06



Wiha ESD Safe Precision Collet Lock handle and 8 Wiha interchangeable blades

26989 9 Pc. Hex Inch Precision Blade Set
Set includes the following blades:

- Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- lbs. .64

Wiha SYSTEM 4 Micro Bits & Compact Bit Sets



75096 16 Piece Precision Micro Bit Hex Inch & Metric Sets ESD Safe precision handle, Bit Extension and 14 CVM steel Micro Bits.

Set includes the following Micro Bits:

- Inch: 0.89/0.35", 1.3/.050", 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm
- lbs. .14



75395 18 Piece SYSTEM 4 Hex Inch & Metric Precision Interchangeable Bit Set, In Compact Fold Out Box Wiha precision handle, bit extension & 16 interchangeable bits.

Set includes the following bits:

- Hex Metric: .71, .89, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm
- Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- 100mm Bit Extension
- lbs. .58

Wiha SYSTEM 4 Micro Bits & Compact Bit Sets



75983 Micro Bit Handle Storage Hex Inch Bit Set, 7 Pcs. Wiha precision storage handle & 6 interchangeable bits.

Item No. Precision Storage Handle Set
75983 **Hex Inch:** .050, 1/16, 5/64,
lbs. .08 3/32, 7/64, 1/8"



75982 SYSTEM 4 Hex Inch Micro Bit Replacement Pack, 10 Pcs.

CVM steel, hardened, on 4 mm hex stock.

Item No. SYSTEM 4 Micro Bit Set
75982 **Hex Inch:** .028, .035, .050, 1/16,
 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
lbs. .06

Wiha Cushion Grip Pop-Up 1/4" Bit Holder

Bit holder stainless steel, magnetic



38049 Hex Inch & Metric Pop-Up Bit Screwdriver Set Cushion Grip handle, multi-component. Compact storage holds 12 bits.

Set includes:
lbs. **Inch:** 5/64, 3/32, 1/8, 5/32, 3/16, 1/4"
.42 Metric: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm

Wiha Cushion Grip Stubby Bit Holder

Stubby 6 in 1 Multi-Bit Driver Sets

Stainless steel bit holder

Just 2.5" over all length

Ergo soft grip handles

Bits hardened for extreme durability



38056 Ball End Hex SoftFinish® CushionGrip Stubby Bit Holders CVM tool steel shaft.

Set includes the following 1/4" bits:
lbs. **Ball End Hex Inch:** 1/8, 9/64, 5/32,
.21 3/16, 7/32, 1/4"



38057 Hex Metric SoftFinish® CushionGrip Stubby Bit Holder CVM tool steel shaft.

Set includes the following 1/4" bits:
lbs. **Hex Metric:** 2.0, 2.5, 3.0,
.18 4.0, 5.0, 6.0mm



38058 Hex Inch SoftFinish® CushionGrip Stubby Bit Holder CVM tool steel shaft.

Set includes the following 1/4" bits:
lbs. **Hex Inch:** 3/32, 7/64, 1/8,
.18 9/64, 5/32, 3/16"

Wiha Bit Selectors

Compact size & easy bit selection make the Bit Selector an ideal maintenance tool



Plastic storage box is compact, durable and light weight

Slide out drawer allows quick bit access & secure storage



Molded hex cavity in box end Magnetic adapter fits into opening so tool case can be used as a handle on quick fastening jobs

1/4" Magnetic Adapter fits all standard 1/4" bits

792 Sets Bit-Selector Sets

These handy sets include 10 hardened bits of CVM steel. Packaged in clear blister pack.



79276 Bit-Selector With Ball End Hex Inch Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 8 Bits:

Ball End Hex Inch:
lbs. 3/32, 7/64, 1/8, 9/64,
.30 5/32, 3/16, 7/32, 1/4"



Item #79246

79246 Bit-Selector With Hex Inch Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 10 Bits:

Hex Inch: 1/16, 5/64,
lbs. 3/32, 7/64, 1/8, 9/64,
.32 5/32, 3/16, 7/32, 1/4"

79256 Bit-Selector With Hex Metric Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 8 Bits:

lbs. **Hex Metric:** 1.5, 2.0, 2.5,
.30 3.0, 4.0, 5.0, 6.0, 8.0mm

Wiha Blister Pack Bit Set



72596 Hex Inch Insert Blister Pack, 1"

CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 10 Pc. set

72596 Set includes the following bits:
Hex Inch: 1/16, 5/64, 3/32,
 7/64, 1/8, 9/64, 5/32, 3/16,
wt. .16 7/32, 1/4" x 1" (25mm)

Wiha XSelector Bit Set





79446 XSelector Bit Set With Hex Inch Bits Includes ClicFix quick release bit holder & 10 insert bits.

lbs. **Inch:** 1/16, 5/64, 3/32, 7/64,
.27 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Wiha Bit Selector



71399 Bit-Selector With **Metric** & Inch MagicRing Insert 1/4" Bits. Includes Magnetic 1/4" Bit Holder & The Following 10 Bits:





		No Ball End
lbs.	Metric:	3.0, 4.0, 5.0, 6.0mm
.46	Inch:	1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Wiha MagicRing Insert Bits





Screw Holding Hex Bits



713 MagicRing **Metric** Insert Bits, 1/4"


Item No.					lbs.
	mm	mm	pkg.		
71304	3.0	25	1		.01
71307	4.0	25	1		.01
71310	5.0	25	1		.01
71311	6.0	25	1		.01

713 MagicRing Inch Insert Bits, 1/4"





Item No.					lbs.
	Inch	mm	pkg.		
71343	1/8	25	1		.01
71346	9/64	25	1		.01
71349	5/32	25	1		.01
71352	3/16	25	1		.01
71354	7/32	25	1		.01
71358	1/4	25	1		.01

Wiha MagicRing Power Bits





Screw Holding Hex Bits



743 MagicRing **Metric** Power Bits, 1/4"

Item No.					lbs.
	mm	mm	pkg.		
74301	3.0	50	1		.02
74305	4.0	50	1		.02
74307	5.0	50	1		.03
74319	6.0	50	1		.03


743 MagicRing Inch Power Bits, 1/4"

Item No.					lbs.
	mm	mm	pkg.		
74369	1/8	50	1		.02
74371	9/64	50	1		.02
74373	5/32	50	1		.02
74375	3/16	50	1		.03
74379	1/4	50	1		.03

Wiha Security Hex Inch & Metric PokitPaks




71998 PokitPak - Security Hex Inch 1/4" Insert Bits In Molded Case. Includes 6 Bits

		Inch Security Hex:
lbs.		3/32, 7/64, 1/8, 9/64, .12
		5/32, 3/16"




71995 PokitPak - Security Hex **Metric** 1/4" Insert Bits In Molded Case - Includes 6 Bits

lbs.		Metric Security Hex:
.31		2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm

Wiha Security Multi Bit Set



38014 Security Hex Inch Multi-Bit Screwdriver, 6 Pc. Set With Wiha Powerhandle & CVM steel, hardened shaft.  lbs. .39 Includes the following 1/4" Security bits: 3/32, 1/8, 5/32, 3/16, 7/32"

Wiha Security Bit Selector






79266 Bit-Selector With Security Hex Inch Bits. Set Includes Magnetic 1/4" Bit Holder & The Following 9 Bits:

		Hex Inch:
lbs.		5/64, 3/32, 7/64, 1/8, 9/64, 5/32, .31
		3/16, 7/32, 1/4"

Wiha Power Bit Belt Packs





74986 Power Bit Belt Pack With Inch & **Metric** Hex Bits. Set Includes The Following 10 Bits:  lbs. .34

	Inch:	1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
	Metric:	3.0, 4.0, 5.0, 6.0mm

Screw Holding Hex Bits



74999 Power Bit Belt Pack With Screw Holding Inch & **Metric** Ball End Hex MagicRing Bits. Set Includes The Following 10 Bits:

lbs.		Inch:	1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
.37		Metric:	3.0, 4.0, 5.0, 6.0mm



Hex Inch/Metric Bit Packs



71396 Hex Inch Insert Bit Packs, 1" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack. **71396** Set includes the following bits:

	Hex Inch:
	1/16, 3/32, 1/8, 5/32
wt. .13	3/16, 1/4" x 1" (25mm)

71397 Hex **Metric** Insert Bit Packs, 1" CVM S2 modified tool steel. Extra hard with natural finish. Exact fit machined tips. 6 pc. bit pack. **71397** Set includes the following bits:

		Hex Metric:
wt. .21		2.0, 2.5, 3.0, 4.0, 5.0, 6.0

The ideal multi-purpose bits for all around quality & performance

Made in Germany - Production Quality

Highly resistant to wear and tear for a long tool life

Impact resistant modified CVM, tool steel, hardened

Suitable for all applications for both manual & machine Hardness HRC 59-61



713 Hex Inch Insert Bits, 1/4"

Item	Hex	Double Flute	Single Flute	Double Flute
No.	Inch	mm	pkg.	lbs.
71329	.050	25	10	.12
71326	1/16	25	10	.12
71328	5/64	25	10	.12
71330	3/32	25	10	.12
71333	7/64	25	10	.12
71336	1/8	25	10	.12
71339	9/64	25	10	.12
71342	5/32	25	10	.12
71345	3/16	25	10	.13
71348	7/32	25	10	.13
71351	1/4	25	10	.13
71353	5/16	25	10	.20
71356	3/8	25	10	.25



713 Hex Metric Insert Bits, 1/4"

Item	Hex	Double Flute	Single Flute	Double Flute
No.	mm	mm	pkg.	lbs.
71303	1.5	25	10	.12
71306	2.0	25	10	.12
71308	2.5	25	10	.12
71309	3.0	25	10	.12
71312	4.0	25	10	.12
71315	5.0	25	10	.14
71318	6.0	25	10	.14
71321	8.0	25	10	.20
71324	10.0	25	10	.27

725 Hex Metric Insert Contractor Grade, 1/4"

Item	Hex	Double Flute	Single Flute	Double Flute
No.	mm	mm	pkg.	lbs.
72582	2.0	25	30 pc	.85
72583	2.5	25	30 pc	.85
72584	3.0	25	30 pc	.85
72585	4.0	25	30 pc	.85
72586	5.0	25	30 pc	.85
72587	6.0	25	30 pc	.85

Wiha Hex Inch & Metric Insert Bit Packs



713 Hex Inch Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item	Hex	Double Flute	Single Flute	Double Flute
No.	Inch	mm	lbs.	
71359	.050	25	.03	
71360	1/16	25	.03	
71361	5/64	25	.03	
71362	3/32	25	.03	
71363	7/64	25	.03	
71364	1/8	25	.03	
71365	9/64	25	.03	
71366	5/32	25	.04	
71367	3/16	25	.04	
71368	7/32	25	.04	
71369	1/4	25	.04	
71373	5/16	25	.05	
71387	3/8	25	.06	

733 Hex Metric Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item	Hex	Double Flute	Single Flute	Double Flute
No.	mm	mm	lbs.	
73301	1.5	25	.03	
73302	2.0	25	.03	
73303	2.5	25	.03	
73304	3.0	25	.03	
73305	4.0	25	.03	
73306	5.0	25	.03	
73307	6.0	25	.04	
73308	8.0	25	.05	
73309	10.0	25	.06	



777 Hex Inch Double End Insert Bit Packs, 1/4" CVM S2 modified tool steel

Item	Hex	Double Flute	Single Flute	Double Flute
No.	Inch	mm		
77723	3/32 + 7/64"	30		
77724	1/8 + 9/64"	30		
77725	5/32 + 3/16"	30		
77726	7/32 + 1/4"	30		

777 Hex Metric Double End Insert Bit Packs, 1/4" CVM S2 modified tool steel

Item	Hex	Double Flute	Single Flute	Double Flute
No.	Metric	mm		
77719	2.0 + 2.5mm	30		
77720	3.0 + 4.0mm	30		
77721	5.0 + 6.0mm	30		

Wiha Security Hex Insert Bits



719 Security Hex Inch Insert Bits, 1/4"

Item	Hex	Double Flute	Single Flute	Double Flute
No.	Inch	mm	pkg.	lbs.
71930	5/64	25	10	.12
71932	3/32	25	10	.12
71934	7/64	25	10	.12
71936	1/8	25	10	.12
71938	9/64	25	10	.12
71940	5/32	25	10	.12
71955	3/16	25	10	.13
71956	7/32	25	10	.14
71960	1/4	25	10	.15



719 Security Hex Metric Insert Bits, 1/4"

Item	Hex	Double Flute	Single Flute	Double Flute
No.	mm	mm	pkg.	lbs.
71939	2.0	25	10	.12
71941	2.5	25	10	.12
71942	3.0	25	10	.12
71943	4.0	25	10	.12
71944	5.0	25	10	.15
71945	6.0	25	10	.15
71946	8.0	25	10	.20



719 Security Hex Inch Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item	Hex	Double Flute	Single Flute	Double Flute
No.	Inch	mm	lbs.	
71970	5/64	25	.03	
71971	3/32	25	.03	
71972	7/64	25	.03	
71973	1/8	25	.03	
71974	9/64	25	.03	
71975	5/32	25	.03	
71976	3/16	25	.04	
71977	7/32	25	.04	
71978	1/4	25	.04	

719 Security Hex Metric Insert Bit Packs, 1"

CVM S2 modified tool steel.

Item	Hex	Double Flute	Single Flute	Double Flute
No.	mm	mm	lbs.	
71979	2.0	25	.03	
71980	2.5	25	.03	
71981	3.0	25	.03	
71982	4.0	25	.03	
71983	5.0	25	.04	
71984	6.0	25	.04	
71985	8.0	25	.05	

Wiha Hex Inch & Metric Power Bits



743 Hex Inch Power Bits

1/4" Hex Drive, Length 2.0"/50mm

Item				
No.	Inch	mm	pkg.	lbs.
74311	3/32	50	10	.30
74312	7/64	50	10	.30
74313	1/8	50	10	.30
74314	9/64	50	10	.30
74315	5/32	50	10	.30
74316	3/16	50	10	.30
74317	7/32	50	10	.30
74318	1/4	50	10	.30



743 Hex Metric Power Bits

1/4" Hex Drive, Length 2.0"/50mm

Item				
No.	mm	mm	pkg.	lbs.
74325	2.5	50	10	.25
74330	3.0	50	10	.25
74340	4.0	50	10	.25
74350	5.0	50	10	.25
74360	6.0	50	10	.25
74380	8.0	50	10	.38



743 Hex Inch Power Bit Packs, 2"

Item				
No.	Inch	mm	lbs.	
74381	3/32	50	.07	
74382	7/64	50	.07	
74383	1/8	50	.07	
74384	9/64	50	.07	
74385	5/32	50	.07	
74386	3/16	50	.07	
74387	7/32	50	.07	
74388	1/4	50	.07	

743 Hex Metric Power Bit Packs, 2"

Item				
No.	mm	mm	lbs.	
74361	2.5	50	.07	
74362	3.0	50	.07	
74363	4.0	50	.07	
74364	5.0	50	.07	
74365	6.0	50	.07	
74366	8.0	50	.09	



743 Hex Inch Power Bits

1/4" Hex Drive, Length 2.75"/70mm

Item				
No.	Inch	mm	pkg.	lbs.
74341	5/64	70	1	.36
74342	3/32	70	1	.36
74343	7/64	70	1	.36
74344	1/8	70	1	.36
74345	9/64	70	1	.36
74346	5/32	70	1	.36
74347	3/16	70	1	.36
74348	7/32	70	1	.36
74349	1/4	70	1	.36



743 Hex Metric Power Bits

1/4" Hex Drive, Length 2.75"/70mm

Item				
No.	mm	mm	pkg.	lbs.
74351	2.0	70	1	.36
74352	2.5	70	1	.36
74353	3.0	70	1	.36
74354	4.0	70	1	.36
74355	5.0	70	1	.36
74356	6.0	70	1	.36
74357	8.0	70	1	.36



743 Hex Metric Power Bits

1/4" Hex Drive, Length 3.5"/90mm

Item				
No.	mm	mm	pkg.	lbs.
74332	2.0	90	1	.38
74333	2.5	90	1	.38
74334	3.0	90	1	.38
74335	4.0	90	1	.38
74336	5.0	90	1	.38
74337	6.0	90	1	.38

Stainless Steel Hex Metric Bits



701 Stainless Steel Hex Metric Insert Bits

Item			
No.	mm	mm	pkg.
70171	2.0	25	10
70172	2.5	25	10
70175	5.0	25	10
70176	6.0	25	10

Hex Metric Long Insert Bit On 5/16"



72388 Hex Metric Bit On 5/16" Stock

Item				
No.	mm	mm	pkg.	lbs.
72388	12.0	75	10	.14

Wiha Ball End Hex Inch Insert Bits



717 Ball End Hex Inch Insert Bits, 1/4"

Item				
No.	Inch	mm	pkg.	lbs.
71701	3/32	25	10	.12
71702	7/64	25	10	.12
71703	1/8	25	10	.12
71704	9/64	25	10	.12
71705	5/32	25	10	.12
71706	3/16	25	10	.13
71707	7/32	25	10	.13
71708	1/4	25	10	.13

2 bit pack



717 Ball End Hex Inch Insert Bit Packs, 1"

Item				
No.	Inch	mm	lbs.	
71711	3/32	25	.03	
71712	7/64	25	.03	
71713	1/8	25	.03	
71714	9/64	25	.03	
71715	5/32	25	.04	
71716	3/16	25	.04	
71717	7/32	25	.04	
71718	1/4	25	.04	

Ball End Hex Metric Power Bits

2 pc. bit pack!



717 Ball End Hex Metric Power Bits

1/4" Hex Drive, Length 1.5"/38mm

Item			
No.	mm	mm	pkg.
71719	1.5	38	1
71720	2.0	38	1
71721	2.5	38	1
71722	3.0	38	1
71723	4.0	38	1
71724	5.0	38	1
71725	6.0	38	1

Wiha Terminator Hex Inch & Metric Impact Bits - Insert & Power

**Up To 30X
Performance Over
Standard
Screwdriver Bits**



Dual material impact absorbing torsion zone

Impact rated bits for long life in impact applications

Provide up to 30 times impact performance over standard bits

Standard 1/4" drive - No special adaptor required

Wiha enhanced bi-material torsion zone

Precision machined exact fit tips

Wiha exclusive CVM tool steel

Guaranteed to out perform impact imposters



765 Hex Inch Terminator Impact Bits, 1/4" Insert - 10 bit pack


Item	Hex	Inch	mm	pkg.
No.		Inch	mm	pkg.
76530		1/8	29	10
76531		9/64	29	10
76532		5/32	29	10
76533		3/16	29	10
76534		7/32	29	10
76535		1/4	29	10

768 Hex Inch Terminator Impact Bits, 1/4" Insert - 2 bit pack

Item	Hex	Inch	mm	pkg.
No.		Inch	mm	pkg.
76830		1/8	29	2
76831		9/64	29	2
76832		5/32	29	2
76833		3/16	29	2
76834		7/32	29	2
76835		1/4	29	2



1/4" Drive Insert & Power Bits



**Up To 30X Performance
Over Standard Screwdriver Bits**



765 Hex Metric Terminator Impact Bits, 1/4" Insert - 10 bit pack

Item	Hex	mm	mm	pkg.
No.		mm	mm	pkg.
76523		3.0	29	10
76524		4.0	29	10
76525		5.0	29	10
76526		6.0	29	10

768 Hex Metric Terminator Impact Bits, 1/4" Insert - 2 bit pack

Item	Hex	mm	mm	pkg.
No.		mm	mm	pkg.
76823		3.0	29	2
76824		4.0	29	2
76825		5.0	29	2
76826		6.0	29	2



76876 10 Pc. Set With Terminator Impact Insert Bits - 29mm

- 76876 Set includes the following bits:
- Hex Inch: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
 - Hex Metric: 3, 4, 5, 6mm



76893 7 Pc. Bit Buddy Set With Terminator Impact Insert Bits - 29mm

- 76893 Set includes the following bits:
- Hex Inch: 5/32, 3/16, 7/32, 1/4"
 - Hex Metric: 4, 5, 6mm



765 Hex Inch Terminator Impact Bits, 1/4" Power - 10 bit pack

Item	Hex	Inch	mm	pkg.
No.		Inch	mm	pkg.
76570		1/8	49	10
76571		9/64	49	10
76572		5/32	49	10
76573		3/16	49	10
76574		7/32	49	10
76575		1/4	49	10

768 Hex Inch Terminator Impact Bits, 1/4" Power - 2 bit pack

Item	Hex	Inch	mm	pkg.
No.		Inch	mm	pkg.
76870		1/8	49	2
76871		9/64	49	2
76872		5/32	49	2
76873		3/16	49	2
76874		7/32	49	2
76875		1/4	49	2



765 Hex Metric Terminator Impact Bits, 1/4" Power - 10 bit pack

Item	Hex	mm	mm	pkg.
No.		mm	mm	pkg.
76563		3.0	49	10
76564		4.0	49	10
76565		5.0	49	10
76566		6.0	49	10

768 Hex Metric Terminator Impact Bits, 1/4" Power - 2 bit pack

Item	Hex	mm	mm	pkg.
No.		mm	mm	pkg.
76863		3.0	49	2
76864		4.0	49	2
76865		5.0	49	2
76866		6.0	49	2



76894 7 Pc. Bit Buddy Set With Terminator Impact Power Bits - 49mm

- 76894 Set includes the following bits:
- Hex Inch: 5/32, 3/16, 7/32, 1/4"
 - Hex Metric: 4, 5, 6mm



Replaceable bit

761 Security Hex Inch Sockets

3/8" Square drive socket. 1/4" bits CVM steel.

Item	Hex	1/4"	3/8"
No.	Inch	mm	lbs.
76164	5/64	42	.09
76165	3/32	42	.09
76166	7/64	42	.09
76167	1/8	42	.09
76168	9/64	42	.09
76169	5/32	42	.09
76170	3/16	42	.09
76171	7/32	42	.09
76172	1/4	42	.09

761 Security Hex Metric Sockets

3/8" Square drive socket. 1/4" bits CVM steel.

Item	Hex	1/4"	3/8"
No.	mm	mm	lbs.
76132	2.0	42	.09
76133	2.5	42	.09
76134	3.0	42	.09
76135	4.0	42	.09
76136	5.0	42	.09
76137	6.0	42	.09
76138	8.0	42	.09

1/4" Square drive socket



717 Ball End Hex Sockets

Replaceable bit. 1/4" bits CVM steel.

Item	Hex	1/4"	3/8"
No.	Inch	mm	lbs.
71761	3/32	38	.09
71762	7/64	38	.09
71763	1/8	38	.09
71764	9/64	38	.09
71765	5/32	38	.09
71766	3/16	38	.09
71767	7/32	38	.09
71768	1/4	38	.09




717 Ball End Hex Metric Sockets

1/4" Square drive socket. Replaceable bit.
1/4" bits CVM steel.

Item	Hex	1/4"	3/8"
No.	mm	mm	lbs.
71771	1.5	51	.11
71772	2.0	51	.11
71773	2.5	51	.11
71774	3.0	51	.11
71775	4.0	51	.11
71776	5.0	51	.12
71777	6.0	51	.12

Wiha Socket Sets On Molded Rails


Bits CVM tool steel



71391 10 Piece Hex Inch Socket Set
1/4" Square drive replaceable bit socket.

Item No.	1/4"	3/8"
71391	lbs. .48	Set includes the following: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Bits CVM tool steel



71798 8 Pc. Ball End Hex Inch Socket Set
1/4" Square Drive Replaceable Bit Socket.

Item No.	1/4"	3/8"
71798	lbs. .80	Set includes the following: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"


Bits CVM tool steel



71398 7 Pc. Ball End Hex Inch Socket Set
1/4" Square Drive Replaceable Bit Socket.

Item No.	1/4"	3/8"
71398	lbs. .48	Set includes the following: 3/32, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Bits CVM tool steel



71797 7 Pc. Ball End Hex Metric Sockets
1/4" Square Drive Replaceable Bit Socket.

Item No.	1/4"	3/8"
71797	lbs. .72	Set includes the following: Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0mm

Bits CVM tool steel



71392 8 Piece Hex Inch Socket Set
3/8" Square Drive Replaceable Bit Socket.

Item No.	3/8"	1/2"
71392	lbs. .78	Set includes the following: 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Bits CVM tool steel



71393 5 Piece Hex Inch Socket Set
3/8" Square Drive Replaceable Bit Socket.

Item No.	3/8"	1/2"
71393	lbs. .54	Set includes the following: Hex Inch: 1/8, 3/16, 1/4, 5/16, 3/8"

Bits CVM tool steel



71394 5 Piece Hex Metric Socket Set
3/8" Square Drive Replaceable Bit Socket.

Item No.	3/8"	1/2"
71394	lbs. .56	Set includes the following: Hex Metric: 4.0, 5.0, 6.0, 8.0, 10.0mm


Bits CVM tool steel



71996 9 Piece Hex Metric Socket Set
1/4" & 3/8" Sq. Dr. Replaceable Bit Socket

Item No.	1/4"	3/8"
71996	lbs. .66	Set includes the following: 1/4": 1.5, 2.0, 2.5, 3.0, 4.0mm 3/8": 5.0, 6.0, 8.0, 10.0mm

Bits CVM tool steel



71999 9 Pc. Security Hex Inch Socket Set
3/8" Square Drive Replaceable Bit Socket.

Item No.	3/8"	1/2"
71999	lbs. .86	Set includes the following: 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Bits CVM tool steel




71989 7 Pc. Security Hex Metric Sockets
3/8" Square Drive Replaceable Bit Socket.

Item No.	3/8"	1/2"
71989	lbs. .74	Set includes the following: 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0mm

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
13650	17	26440	21	28008	23	28519	19	33402	11	33487	16
13651	17	26441	22	28021	24	28521	19	33403	11	33488	11
13652	17	26443	22	28023	24	28523	19	33404	11	33489	10
13653	17	26445	22	28024	24	28525	19	33405	11	33490	16
13654	17	26447	22	28025	24	28545	19	33406	11	33492	11
13655	17	26449	22	28026	24	28546	19	33407	11	33493	11
13656	17	26455	22	28027	24	28547	19	33408	11	33494	11
13657	17	26457	22	28028	24	28548	19	33409	11	33496	10
13658	17	26459	22	28029	24	28549	19	33410	11	33498	11
13659	17	26461	22	28033	24	28550	19	33411	11	33499	11
13662	17	26463	22	28034	24	28551	19	33412	11	35104	14
13663	17	26465	22	28035	24	28552	19	33413	11	35108	14
13664	17	26467	22	28036	24	28553	19	33414	11	35112	14
13665	17	26490	21	28037	24	28555	19	33415	11	35116	14
13666	17	26491	21	28116	18	28556	19	33416	11	35120	14
13667	17	26493	22	28117	18	28557	19	33417	11	35124	14
13668	17	26499	21	28118	18	28558	19	33418	11	35128	14
13669	17	26900	24	28119	18	28559	19	33419	11	35132	14
13670	17	26901	24	28120	18	28560	19	33420	11	35136	14
13671	17	26913	24	28122	18	28587	19	33421	11	35140	14
13672	17	26914	24	28123	18	28588	19	33422	11	35143	14
13673	17	26916	24	28124	18	28655	19	33423	11	35144	14
13690	17	26917	24	28149	18	28740	20	33424	11	35145	14
13691	17	26918	24	28150	18	28741	20	33425	11	35146	14
13693	17	26919	24	28151	18	28742	20	33426	11	35147	14
13694	17	26920	24	28189	18	28750	20	33427	11	35150	14
26307	21	26921	24	28332	20	28751	20	33428	11	35152	14
26309	21	26923	24	28333	20	28752	20	33429	11	35153	14
26313	21	26924	24	28334	20	28916	20	33430	11	35155	14
26315	21	26925	24	28335	20	28917	20	33432	11	35156	14
26316	21	26926	24	28336	20	28918	20	33433	11	35159	14
26320	21	26927	24	28337	20	28919	20	33434	11	35162	14
26323	21	26928	24	28338	20	28920	20	33435	11	35165	14
26325	21	26929	24	28349	19	28921	20	33436	11	35168	14
26327	21	26932	24	28351	19	28922	20	33437	11	35171	14
26330	21	26933	24	28352	19	28923	20	33438	11	35174	14
26331	21	26934	24	28353	19	28924	20	33439	11	35175	14
26333	21	26935	24	28354	19	28931	20	33440	11	35176	14
26336	21	26936	24	28355	19	28933	20	33441	16	35177	14
26340	21	26937	24	28356	19	28935	20	33442	10	35178	14
26341	22	26961	23	28357	19	28937	20	33443	16	35179	14
26343	22	26989	24	28358	19	28938	20	33444	10	35180	14
26345	22	27505	23	28359	19	28939	20	33445	16	35191	15
26347	22	27507	23	28360	19	28940	20	33446	10	35192	15
26349	22	27509	23	28361	19	31805	17	33447	16	35193	15
26351	22	27510	23	28362	19	31807	17	33448	10	35194	15
26353	22	27513	23	28363	19	31809	17	33449	16	35195	13
26363	22	27515	23	28364	19	31811	17	33450	10	35196	13
26367	22	27520	23	28365	19	31813	17	33452	10	35197	13
26369	22	27525	23	28404	19	31815	17	33453	11	35198	13
26371	22	27530	23	28408	19	31817	17	33454	10	35200	14
26390	21	27535	23	28474	18	31830	17	33456	11	35201	14
26391	21	27537	23	28476	18	31832	17	33458	10	35202	14
26392	22	27539	23	28486	18	31834	17	33459	11	35203	14
26393	22	27541	23	28487	18	31836	17	33462	11	35204	14
26399	21	27543	23	28488	18	31838	17	33465	11	35205	14
26413	21	27545	23	28501	19	31840	17	33468	11	35206	14
26415	21	27547	23	28502	19	31842	17	33471	11	35208	14
26416	21	27549	23	28503	19	31844	17	33474	11	35210	14
26419	21	27590	23	28505	19	31890	17	33477	11	35211	14
26420	21	27591	23	28506	19	32302	16	33478	16	35212	14
26423	21	28000	23	28507	19	32303	16	33480	11	35213	14
26425	21	28001	23	28509	19	32304	16	33481	16	35214	14
26427	21	28003	23	28511	19	32305	16	33482	16	35215	14
26430	21	28004	23	28513	19	32306	16	33483	16	35216	14
26431	21	28005	23	28515	19	32308	16	33484	11	35217	14
26436	21	28006	23	28517	19	32366	16	33485	16	35218	14
26439	21	28007	23	28518	19	33401	11	33486	16	35219	14

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
35220	14	35317	15	36913	6	36991	7	54007	10	66945	4
35221	14	35318	15	36914	6	36992	7	54008	10	66946	4
35222	14	35319	15	36915	6	36993	7	54009	10	66947	4
35223	14	35320	15	36916	7	36995	7	54010	10	66950	4
35224	14	35321	15	36917	6	36996	9	54012	9	66952	4
35225	14	35330	15	36918	6	36997	9	54014	9	66953	4
35226	14	35331	15	36919	6	36998	5	54016	9	66955	4
35227	14	35332	15	36920	7	36999	8	54018	9	66956	4
35228	14	35333	15	36921	6	38014	27	54020	10	66959	4
35230	14	35334	15	36922	6	38049	26	54022	9	66962	4
35231	14	35335	15	36923	8	38056	26	54024	9	66965	4
35232	14	35336	15	36924	7	38057	26	54025	10	66968	4
35233	14	35337	15	36925	8	38058	26	54030	10	66971	4
35234	14	35338	15	36926	8	46701	8	54040	9	66982	5
35235	14	35339	15	36927	8	46702	13	54042	10	66988	5
35236	14	35340	15	36928	7	46703	8	54050	9	66990	4
35237	14	35341	15	36929	8	46704	13	54052	10	66991	4
35238	14	35342	15	36930	8	46705	8	54060	9	66992	4
35239	14	35343	15	36931	8	46706	13	54062	10	66993	5
35240	14	35345	15	36932	8	46707	8	54080	9	66994	5
35241	14	35346	15	36933	8	46708	13	54082	10	66995	5
35242	14	35347	15	36934	8	46709	8	54086	9	66996	5
35243	14	35348	15	36935	8	46710	13	54088	10	66997	9
35244	14	35390	15	36936	7	46711	8	54090	9	66998	5
35245	14	35391	15	36937	8	46712	13	54091	9	70171	29
35246	14	35392	15	36938	8	46713	8	54092	10	70172	29
35247	14	35393	15	36939	8	46714	13	54094	10	70175	29
35248	14	36696	7	36944	7	46715	13	54095	10	70176	29
35249	14	36710	12	36945	7	46716	13	54097	10	71300	31
35250	14	36713	12	36946	7	46717	8	56901	6	71301	31
35251	14	36715	12	36947	7	46718	13	56902	6	71302	31
35252	14	36716	12	36949	5	46719	8	56903	6	71303	28
35253	14	36719	12	36950	7	46720	13	56904	6	71304	27
35254	14	36720	12	36951	5	46721	8	56905	6	71305	31
35255	14	36723	12	36952	7	46722	13	56906	6	71306	28
35256	14	36725	12	36953	7	46723	8	56907	6	71307	27
35257	14	36726	12	36954	5	46724	13	56908	6	71308	28
35258	14	36728	12	36955	7	46725	13	56909	6	71309	28
35259	14	36730	12	36956	7	46726	13	56910	6	71310	27
35260	14	36732	12	36957	5	46727	8	56911	6	71311	27
35261	14	36734	12	36958	5	46728	13	56912	6	71312	28
35270	14	36736	12	36959	7	46730	13	56913	6	71313	31
35280	14	36738	12	36960	5	46731	8	56914	6	71314	31
35282	14	36740	12	36961	5	46732	8	56915	6	71315	28
35284	14	36742	12	36962	7	46733	8	56916	6	71316	31
35285	14	36744	12	36963	5	46734	8	56917	6	71317	31
35286	14	36750	12	36965	7	46735	8	56918	6	71318	28
35288	14	36760	12	36966	8	46736	8	56919	6	71319	31
35290	14	36780	12	36968	7	46737	8	56920	6	71320	31
35291	14	36786	12	36971	7	46738	8	56921	6	71321	28
35295	14	36790	12	36972	6	46739	8	56922	6	71322	31
35297	14	36791	12	36973	6	46740	13	62994	22	71323	31
35299	14	36792	12	36974	6	46741	8	62995	22	71324	28
35301	15	36793	12	36975	6	46750	13	66904	4,5	71325	31
35302	15	36794	12	36976	6	46760	13	66908	4,5	71326	28
35303	15	36900	8	36977	6	46780	13	66912	4,5	71327	31
35304	15	36901	8	36978	6	46786	13	66916	4	71328	28
35305	15	36902	8	36979	6	46793	13	66918	5	71329	28
35306	15	36903	8	36980	6	46794	13	66920	4	71330	28
35307	15	36904	7	36981	6	46796	13	66922	5	71331	31
35308	15	36905	8	36982	6	46797	13	66924	4	71332	31
35309	15	36906	8	36983	6	46799	13	66926	5	71333	28
35310	15	36907	8	36985	6	54001	10	66928	4	71336	28
35311	15	36908	7	36986	6	54002	10	66930	5	71339	28
35312	15	36909	8	36987	6	54003	10	66936	4	71340	31
35313	15	36910	8	36988	6	54004	10	66937	5	71341	31
35314	15	36911	6	36989	8	54005	10	66938	5	71342	28
35316	15	36912	7	36990	7	54006	10	66944	4	71343	27


Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
71345	28	71720	29	72585	28	74385	29	76002	18	76871	30
71346	27	71721	29	72586	28	74386	29	76003	18	76872	30
71348	28	71722	29	72587	28	74387	29	76004	18	76873	30
71349	27	71723	29	72596	26	74388	29	76045	18	76874	30
71351	28	71724	29	73301	28	74986	27	76046	18	76875	30
71352	27	71725	29	73302	28	74999	27	76047	18	76876	30
71353	28	71761	32	73303	28	75096	24	76048	18	76893	30
71354	27	71762	32	73304	28	75307	25	76049	18	76894	30
71356	28	71763	32	73305	28	75309	25	76050	18	77128	31
71358	27	71764	32	73306	28	75313	25	76051	18	77130	31
71359	28	71765	32	73307	28	75315	25	76052	18	77132	31
71360	28	71766	32	73308	28	75320	25	76053	18	77134	31
71361	28	71767	32	73309	28	75322	25	76054	18	77136	31
71362	28	71768	32	74301	27	75325	25	76132	32	77138	31
71363	28	71771	32	74305	27	75327	25	76133	32	77139	31
71364	28	71772	32	74307	27	75330	25	76134	32	77140	31
71365	28	71773	32	74311	29	75332	25	76135	32	77141	31
71366	28	71774	32	74312	29	75340	25	76136	32	77142	31
71367	28	71775	32	74313	29	75342	25	76137	32	77144	31
71368	28	71776	32	74314	29	75350	25	76138	32	77146	31
71369	28	71777	32	74315	29	75352	25	76164	32	77148	31
71370	31	71797	32	74316	29	75354	25	76165	32	77165	31
71371	31	71798	32	74317	29	75356	25	76166	32	77167	31
71372	31	71930	28	74318	29	75358	25	76167	32	77169	31
71373	28	71932	28	74319	27	75360	25	76168	32	77171	31
71374	31	71934	28	74325	29	75362	25	76169	32	77173	31
71375	31	71936	28	74330	29	75364	25	76170	32	77175	31
71376	31	71938	28	74332	29	75366	25	76171	32	77177	31
71377	31	71939	28	74333	29	75368	25	76172	32	77179	31
71378	31	71940	28	74334	29	75370	25	76523	30	77191	31
71379	31	71941	28	74335	29	75372	25	76524	30	77192	31
71380	31	71942	28	74336	29	75395	24	76525	30	77198	31
71381	31	71943	28	74337	29	75616	25	76526	30	77719	28
71382	31	71944	28	74340	29	75617	25	76530	30	77720	28
71383	31	71945	28	74341	29	75618	25	76531	30	77721	28
71384	31	71946	28	74342	29	75619	25	76532	30	77723	28
71385	31	71955	28	74343	29	75620	25	76533	30	77724	28
71386	31	71956	28	74344	29	75621	25	76534	30	77725	28
71387	28	71960	28	74345	29	75622	25	76535	30	77726	28
71388	31	71970	28	74346	29	75623	25	76563	30	79246	26
71390	31	71971	28	74347	29	75624	25	76564	30	79256	26
71391	32	71972	28	74348	29	75625	25	76565	30	79266	27
71392	32	71973	28	74349	29	75626	25	76566	30	79276	26
71393	32	71974	28	74350	29	75627	25	76570	30	79446	26
71394	32	71975	28	74351	29	75628	25	76571	30	91118	21
71396	27	71976	28	74352	29	75629	25	76572	30		
71397	27	71977	28	74353	29	75630	25	76573	30		
71398	32	71978	28	74354	29	75631	25	76574	30		
71399	27	71979	28	74355	29	75632	25	76575	30		
71480	31	71980	28	74356	29	75633	25	76823	30		
71491	31	71981	28	74357	29	75634	25	76824	30		
71701	29	71982	28	74360	29	75635	25	76825	30		
71702	29	71983	28	74361	29	75636	25	76826	30		
71703	29	71984	28	74362	29	75637	25	76830	30		
71704	29	71985	28	74363	29	75638	25	76831	30		
71705	29	71989	32	74364	29	75639	25	76832	30		
71706	29	71995	27	74365	29	75640	25	76833	30		
71707	29	71996	32	74366	29	75641	25	76834	30		
71708	29	71998	27	74369	27	75642	25	76835	30		
71711	29	71999	32	74371	27	75643	25	76836	30		
71712	29	72001	31	74373	27	75800	25	76864	30		
71713	29	72002	31	74375	27	75801	25	76865	30		
71714	29	72003	31	74379	27	75900	25	76866	30		
71715	29	72090	31	74380	29	75901	25	76870	30		
71716	29	72388	29	74381	29	75982	26				
71717	29	72582	28	74382	29	75983	26				
71718	29	72583	28	74383	29	76000	18				
71719	29	72584	28	74384	29	76001	18				

 **Prop65 WARNING:** This product could expose you to Chrome 6, DEHP & Phthalates. These chemicals are known to the state of California to cause cancer. For more information go to www.P65warnings.ca.gov/

MANUFACTURING
EXCELLENCE
AWARD
BESTES KMU
2014

WIHA – WINNER OF THE
MX AWARD 2014.
GERMANY'S BEST SME.

wiha 
Tools that work for you



Wiha Quality Tools

1348 Dundas Circle
Monticello, MN 55362
tel: 763.295.6591
fax: 763.295.6598

Wiha Tools Canada Ltd.

www.wihatools.ca
Brampton, ONT L6T 4X4
tel: 866.494.0096 or 763.295.6591
fax: 763.295.6598




(800) 494-6104
fax: (800) 494-7456
cservice@wihatools.com

Catalog Item No. 99934.w0
version - 2/1/18

Subject to change
without notice

©2018 Willi Hahn Corporation

To:




91330.w0 - Tooling Catalog



99004.w0 - Shop Tools Catalog



99914.w0 - TORX Catalog



99002.w0 - Screwdrivers Catalog



99919.w0 - Insulated Catalog



99001.w0 - TorqueControl Catalog



99945.w0 - ESD Safe Catalog



99951.w0 - Bits Catalog



99977.w0 - Pliers/Crimpers Catalog



99006.w0 - Tech Tools Catalog