


THIS DRAWING IS UNPUBLISHED.
 (C) COPYRIGHT 19 BY AMP INCORPORATED. ALL RIGHTS RESERVED.


REV. NO.	DESCRIPTION	ECN	DATE	DWN	APVD
1	SEE SHEET 1 OF 3				



テープ幅
TAPE WIDTH

引出し方向
TOP OF REEL

カッターリフト部
HEEDING THE COVER TAPE
PERIPHERY IN
A TURN.
剥離角度, 165°~180°
PEELING ANGLE.



50.5	45.5	24	44	40.4	20.2	1000	80	8-917797-0	8-316289-0
W ₂	W ₁	D	C	B	A	数量 (個)	巻数 (巻)	コネクタ型番 (シマボ株)	リール巻 (コネクタ型番)
DIMENSIONS (UNIT: REEL)							INSULATION DIA 絶縁外径		
HANDLING AND OPERATION 取扱説明書 411-5808									
DIN 規格 411-5808									
CHK. K. Kawasaka 氏 印									
NAME 品名 ON TAPING (EMB055)									
SPECIFICATION SPEC 108-5496									
APPLICATION SPEC 取付適用規格									
WEIGHT 重量									
SIZE (CASE CODE) 取付コード A3 00779									
RESTRICTED TO 限定									
CUSTOMER DRAWING 顧客図面									
SCALE 縮尺 1:1									
SHEET 3 OF 3									
REV. A									

AMP

Kawasaki, Japan

ON TAPING (EMB055)
 0.5mm PITCH Fine Mate CONN.
 RECEPTACLE ASSEMBLY