


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AD	00	M		EC 0G3C 0759 04	28JAN05	BSV	JLG
		M1		REVISED PER ECO-09-020932	25AUG09	KK	AEQ



PLATING	HOUSING PART NUMBER	NO OF POSN	ASSEMBLY PART NUMBER
8	2-103648-4	25	7-103651-4
8	2-103648-3	24	7-103651-3
8	2-103648-2	23	7-103651-2
8	2-103648-1	22	7-103651-1
8	2-103648-0	21	7-103651-0
8	1-103648-9	20	6-103651-9
8	1-103648-8	19	6-103651-8
8	1-103648-7	18	6-103651-7
8	1-103648-6	17	6-103651-6
8	1-103648-5	16	6-103651-5
8	1-103648-4	15	6-103651-4
8	1-103648-3	14	6-103651-3
8	1-103648-2	13	6-103651-2
7	2-103648-4	25	2-103651-4
7	2-103648-3	24	2-103651-3
7	2-103648-2	23	2-103651-2
7	2-103648-1	22	2-103651-1
7	2-103648-0	21	2-103651-0
7	1-103648-9	20	1-103651-9
7	1-103648-8	19	1-103651-8
7	1-103648-7	18	1-103651-7
7	1-103648-6	17	1-103651-6
7	1-103648-5	16	1-103651-5
7	1-103648-4	15	1-103651-4
7	1-103648-3	14	1-103651-3
7	1-103648-2	13	1-103651-2
	SUPERSEDED BY 1-103969-1	12	1-103651-1
	SUPERSEDED BY 1-103969-0	11	1-103651-0
	SUPERSEDED BY 103969-9	10	103651-9
	SUPERSEDED BY 103969-8	9	103651-8
	SUPERSEDED BY 103969-7	8	103651-7
	SUPERSEDED BY 103969-6	7	103651-6
	SUPERSEDED BY 103969-5	6	103651-5
	SUPERSEDED BY 103969-4	5	103651-4
	SUPERSEDED BY 103969-3	4	103651-3
	SUPERSEDED BY 103969-2	3	103651-2
	SUPERSEDED BY 103969-1	2	103651-1

- 1 CONTACTS ARE LATCHED INTO THE PRELOAD WINDOWS
- 2 USE WITH #22-#26 AWG WIRE SIZE, .054/.030 INSULATION DIAMETER, .015 MAXIMUM INSULATION THICKNESS
- 3 THE DIMENSION APPLIES WITH THE FORWARD PRELOAD STOP IN CONTACT WITH THE HOUSING SURFACE
- 4 POINT OF MEASUREMENT FOR PLATING THICKNESS
- 5 FOR STRIP ASSEMBLIES SEE PART NUMBER 103969
- 6 POINT OF MEASUREMENT FOR PLATING THICKNESS (INSIDE BEAMS)
- 7 .000015 GOLD IN THE CONTACT AREA, .000050-.000100 BRIGHT TIN-LEAD ON THE TERMINATION AREA, ALL OVER .000050 NICKEL
- 8 .000015 GOLD IN THE CONTACT AREA, .000050-.000100 MATTE TIN ON THE TERMINATION AREA, ALL OVER .000050 NICKEL
- 9 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN L. MAYER 05 NOV 1986  
 CHK P. DEJONG 12-11-86  
 APVD 12-11-86

**Tyco Electronics** Tyco Electronics Corporation  
 Harrisburg, Pa 17105-3608

NAME RCPT ASSY, AMPMODU MTE, SINGLE ROW, .100 CL WITH GUIDE RIBS, FOR #22-#26 AWG WIRE SIZE

PRODUCT SPEC 108-25034  
 APPLICATION SPEC 114-25026

SIZE A2 CAGE CODE 00779 DRAWING NO C=103651 RESTRICTED TO -

WEIGHT -

CUSTOMER DRAWING SCALE 4:1 SHEET 1 OF 1 REV M1

DIMENSIONS: INCHES TOLERANCES UNLESS OTHERWISE SPECIFIED:  
 0 PLC ± -  
 1 PLC ± -  
 2 PLC ± .02  
 3 PLC ± .005  
 4 PLC ± -  
 ANGLES ± -  
 FINISH SEE TABLE

MATERIALS: HOUSING- FLAME RETARDANT THERMOPLASTIC, COLOR-BLACK CONTACTS- PHOS BRONZE