


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
G	14		G2	REVISED PER ECO-11-004820	11MAR11	RK	HMR



- 1 TONGUE MATERIAL THICKNESS = 0.79±0.05 [.031±.002]
- 2 FOR 2.67[.105] TO 3.56[.140] WIRE INSULATION DIA
- 3 MARKING 22-18 FOR MILITARY COMMERCIAL RANGE 22-16
- 4 APPLIES FROM METAL EDGE OF BARREL TO CENTERLINE OF STUD

QTY	DESCRIPTION	MATERIAL & FINISH	PART NO
100	LOOSE PIECE, BOX	BODY: COPPER (ASTM-B152) TIN PL (ASTM-B545)	8-326861-1
1	326861 ON TAPE	SLEEVE: COPPER (ASTM-B152) TIN PL (ASTM-B545)	2-326861-1
1	WIRE TERMINAL	INSULATION: NYLON COLOR: RED	326861

CUSTOMER SERVICE SYSTEMS	
FOR ADDITIONAL PRODUCT INFORMATION OR COPIES OF DRAWINGS AND TECHNICAL DOCUMENTS	PRODUCT INFORMATION CENTER 1-800-522-6752
FOR APPLICATION TOOLING INFORMATION	TOOLING ASSISTANCE CENTER 1-800-722-1111
FOR ORDER ENTRY	1-800-526-5142

MAX RECOMMENDED OPERATING TEMPERATURE:
105°C [221° F]

VOLTAGE RATING:
300V MAX

CIRCULAR MIL AREA:
1.04-2.62mm² [2,050-5,180]
SOLID OR STRANDED

THIS DRAWING IS A CONTROLLED DOCUMENT.	
DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED:
	0 PLC ± -
	1 PLC ± -
	2 PLC ± -
	3 PLC ± 0.20[.008]
	4 PLC ± -
	ANGLES ± .5°
MATERIAL SEE TABLE	FINISH SEE TABLE

DWN JR RUTH 15JUL09	TE Connectivity	NAME	RESTRICTED TO	
CHK TOM MICHIELUTTI 15JUL09		WIRE-TERMINAL PIDG-SPADE WIRE SIZE: 22-16		
APVD TOM MICHIELUTTI 15JUL09		SIZE	CAGE CODE	DRAWING NO
PRODUCT SPEC		A3	00779	C-326861
APPLICATION SPEC	WEIGHT	SCALE 5:1 SHEET 1 OF 1 REV G2		
CUSTOMER DRAWING				