

Electronic housing - ME 6.2 TBUS-2 1.5/5-ST-3.81 GN - 2869728

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



DIN rail connector (TBUS), 5-pos., for bridging the supply voltage, can be snapped onto NS 35/... DIN rails according to EN 60715

Why buy this product

- For bridging the supply voltage
- One T-connector for two MINI Analog modules
- Current carrying capacity of 8 A parallel to DIN rail and 2 A parallel to MINI Analog modules
- Reduced wiring effort
- Module replacement without interrupting the supply to the remaining modules (hot swappable)

Key commercial data

Packing unit	1
Minimum order quantity	10
Catalog page	Page 370 (IF-2011)
GTIN	 4 017918 983093
Custom tariff number	85366990
Country of origin	GERMANY

Technical data

Product type	DIN rail connector
Approval	UL Recognized
Approval	cUL Recognized
Approval	cULus Recognized

Classifications

eclass

eCl@ss 4.0	27180401
eCl@ss 4.1	27180401
eCl@ss 5.0	27180506
eCl@ss 5.1	27180506
eCl@ss 6.0	27180802
eCl@ss 7.0	27182702

Electronic housing - ME 6.2 TBUS-2 1.5/5-ST-3.81 GN - 2869728

Classifications

etim

ETIM 2.0	EC001031
ETIM 3.0	EC001031
ETIM 4.0	EC001031

unspsc

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

Approvals

Approvals


Approvals


UL Recognized / cUL Recognized / cULus Recognized

Ex Approvals

Approvals submitted

Approval details

UL Recognized 		
	B	D
Nominal current I _N	8 A	8 A
Nominal voltage U _N	150 V	150 V

cUL Recognized 		
	B	D
Nominal current I _N	8 A	8 A
Nominal voltage U _N	150 V	150 V

Electronic housing - ME 6.2 TBUS-2 1.5/5-ST-3.81 GN - 2869728

Approvals



© Phoenix Contact 2012 - all rights reserved
<http://www.phoenixcontact.com>